

BLUE DEAL



**TROLLEY
WITH TOOL
ASSORTMENT**
GTT B-S-177



**TORQUE WRENCH
DREMOMETER**
DRN SET 3/4"
8563-N-05



**PULLER SET
2-ARM**
1101-1.04/SEB-08



1

Clockwise tightening

- ▶ Controlled clockwise tightening; 3/4" output drive; plus clockwise rotating 3/4" add-on ratchet

2

DIN Norm

- ▶ Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%



3

Test certificate

- ▶ Torque wrench in the 155-760 N-m tightening range with test certificate; with extension tube

4

Precision

- ▶ Vernier scale - resolution 1.0 N-m

GEDORE ESSENTIALS

DREMOMETER SET 8563-N-05

The GEDORE 3/4" torque wrench with extension tube and with a DIN EN ISO 6789:2017-based test certificate permits controlled screw tightening from 155 to 760 N-m and is an optimum drive tool for socket wrench sets. The easy-to-operate torque setting to be fixed to the handle end ensures **precision work**.

Repetition-accurate and precise - thanks to **vernier scale** with magnifying glass and a 1/10 display from which the set torque value can be read off at a glance

Controlled retightening with fixed 3/4" output drive together with clockwise-rotating 3/4" add-on ratchet.

With a **+/-3% working accuracy tolerance** from the scale value set, GEDORE DREMOMETER lie above the +/-4% requirements of DIN EN ISO 6789-2:2017.



NEW

8563-N-05 TORQUE WRENCH DREMOMETER DRN SET 3/4"

155-760 N·m

- ▶ Torque wrench in the 155-760 N·m tightening range with test certificate; with extension tube
- ▶ Controlled clockwise tightening; 3/4" output drive; plus clockwise rotating 3/4" add-on ratchet
- ▶ Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- ▶ Vernier scale - resolution 1.0 N·m
- ▶ Made in Germany
- ▶ **Available for delivery as of 01.08.2019**



100TH
ANNIVERSARY
1919 - 2019











Code	No.	Contents	
3107043	8563-N-05	DREMOMETER DN 3/4" with vernier 155-760Nm No. 8563-N-00 Extension tube DR/DX ALU No. 8571-80 Ratchet head No. 754-04	5.66

3549 UK - 3550 UK TORQUE WRENCH TORCOFLEX UK

- ▶ Tried-and-tested torque wrench in the 1-200 N·m tightening range with test certificate
- ▶ Controlled clockwise tightening; bi-directional reversible ratchet
- ▶ Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- ▶ Made in Germany



Code	No.	N·m							
2958007	3549-00 UK	1-5	1/4	6.3	225.0	0,25 N·m	25.0	15	0.610
2958015	3549-02 UK	5-25	1/4	6.3	285.5	1 N·m	25.0	15	0.670
2958023	3549-05 UK	10-50	3/8	10.0	348.5	2,5 N·m	35.0	18	0.825
2958031	3550-10 UK	20-100	1/2	12.5	408.8	5 N·m	42.5	22	1.380
2958058	3550-20 UK	40-200	1/2	12.5	499.0	10 N·m	42.5	22	1.520



GEDORE ESSENTIALS

TORCOFLEX UK 3550-UK-LS4

The GEDORE 1/2" TORCOFLEX UK with test certificate in acc. with DIN EN ISO 6789:2017 is for **controlled screw tightening** from 40 to 200 N-m and represents an optimum drive tool for socket wrench sets. The easy-to-operate torque setting to be fixed to the handle end ensures precision work.



Highly suited for car tyre changing given its 1/2" **extension and impact sockets** with protective sleeve in the 17, 19 and 21 mm sizes

Controlled re-tightening and unscrewing with integrated 1/2" output drive - the **integrated bi-directional TORCOFLEX** makes this possible.

With a +/-3% **working accuracy** tolerance from the scale value set, GEDORE TORCOFLEX lie above the +/-4% requirements of DIN EN ISO 6789-2:2017.



NEW

3550-UK-LS4 TORQUE WRENCH TORCOFLEX UK SET 1/2"

2 pieces

- ▶ Tried-and-tested torque wrench in the 40-200 N·m tightening range with test certificate
- ▶ Controlled clockwise tightening; bi-directional reversible ratchet; 1/2" output drive
- ▶ Classified as per DIN EN ISO 6789-2:2017; adjusted to a maximum permissible +/-3% deviation and thus with a greater precision than the standard-stipulated +/-4%
- ▶ Highly suited for car tyre changing given its 1/2" extension and impact sockets with protective sleeve in the 17, 19 and 21 mm sizes
- ▶ Made in Germany



100TH
ANNIVERSARY
1919 - 2019



Code	No.	Contents	
3107027	3550-UK-LS4	Torque wrench TORCOFLEX 40-200 Nm No. 3550-20 UK Extension No. 1990-5 1/2" impact socket set, 3 pieces	2.398

8612-300 ELECTRONIC TORQUE TESTER DREMOTEST E


9-320 N·m / 7-236 lbf·ft

- ▶ Easy to operate electronic tester with a 9-320 N·m testing range
- ▶ Can be switched between N·m, lbf·ft, 3/8" and 1/2" drive
- ▶ +/- 1% high measurement accuracy from the +/- 1 digit read-off value
- ▶ For examination of actuating torque wrenches
- ▶ Made in Germany



Code	No.	N·m	lbf·ft	⊘	Resolution	Adaptor <input type="checkbox"/>	
1856111	8612-300	9-320	7-236	17.0	0,1	3/8", 1/2"	3.4



- 
- 1 High quality insole**

 - ▶ The new GEDORE plastic ratchet case is for industry, the automotive field, do-it-yourselfers & hobby mechanics. It is fitted out with a black/blue plastic Check-Tool insert for pointing out any missing tools.
 - 2 Ergonomics**

 - ▶ The droplet-like head of the reversible ratchets make this set ideal for the tightest of bolting positions.
 - 3 2-Components**

 - ▶ The reversible ratchets feature a dual material handle, lever change and press-button release for easy, rapid and safe working.
 - 4 Basic configuration**

 - ▶ 1/4" and 1/2" socket wrench hexagon set with all metric sizes from 4-32 mm and bit set for the most popular drives, such as slot, PH, PZ, TX, XZN & in-hex.

GEDORE ESSENTIALS

SOCKET WRENCH SET 19 BMC 20

The new GEDORE 1/4"+1/2" **socket wrench set** ideal for industry, the automotive field, do-it-yourselfers & hobby mechanics.

The **droplet-like head** of the reversible ratchets make this set ideal for the tightest of bolting positions.

The reversible ratchets feature a **dual material handle, lever change and press-button release** for easy, rapid and safe working.

A multitude of applications possible thanks to the diversity of the 1/4" and 1/2" socket wrench hexagon set with all metric sizes from 4-32 mm and bit set for the **most popular drives**, such as slot, PH, PZ, TX, XZN & in-hex.





The socket wrench set is orderly arranged in the **robust plastic case** with a high-grade metal catch. The black/blue foam Check-Tool inserts make it that much easier to check on tool completeness.



19 BMC 20 SOCKET WRENCH SET 1/4"+1/2"

69 pieces

NEW

- ▶ The new GEDORE plastic ratchet case is for industry, the automotive field, do-it-yourselfers & hobby mechanics.
- ▶ It is fitted out with a black/blue plastic Check-Tool insert for the identification of any missing tools
- ▶ The droplet-like head of the reversible ratchets make this set ideal for the tightest of bolting positions.
- ▶ 1/4" and 1/2" socket wrench hexagon set with all metric sizes from 4-32 mm and bit set for the most popular drives, such as slot, PH, PZ, TX, XZN & in-hex.
- ▶ The reversible ratchets feature a dual material handle, lever change and press-button release for easy, rapid and safe working.
- ▶ Depending on the size, the socket wrench sets can be extended in the drive depth to 375mm

100TH
ANNIVERSARY
1919 - 2019



Code	No.	Ratchet	Sockets	Accessories	pieces	
3108902	19 BMC 20	<small>REC-100</small> 1993 U-20 <small>REC-100</small> 2093 U-20	○ 1/4" 4 4,5 5 5,5 6 7 8 9 10 11 12 13 14 mm ● 1/4" 2 3 4 5 6 8 mm ⊖ 1/4" 4 5,5 6,5 8 mm ⊕ 1/4" PH 1 2 3 ⊕ 1/4" PZ 1 2 3 ⊕ 1/4" T10 T15 T20 T25 T27 T30 T40 ○ 1/4" M4 M5 M6 M8 ○ 1/2" 15 16 17 18 19 21 22 ○ 24 27 30 32 mm ○ 1/2" 10 13 17 19 mm	● 1/4" x 1/4" ⇄ 1/4" 50 100 mm □ 1/4" Ω 1/4" 1/4" ⇄ 1/2" 125 250 mm □ 1/2" 1/4" ⇄ 1/2" 1/4"	69	5.74



1 Total load-bearing capacity

- ▶ 900 kg (static)
- ▶ 650 kg (dynamic)

2 Drawers

- ▶ Wide drawers (W 640 x D 400 mm) with central locking and cylinder locks
- ▶ Ample storage space with seven drawers
- ▶ Load capacity per drawer 40 kg
- ▶ Bottom heavy-duty drawer 60 kg



3 Light running

- ▶ Ease in steering and turning thanks to manoeuvrable handle
- ▶ Two roller-bearing GEDORE heavy-duty wheels (fixed castors Ø 200 mm) and two ball-bearing GEDORE smooth running wheels (swivel castors Ø 125 mm) with total brake

4 Tools

- ▶ GEDORE tools in metric sizes


GEDORE ESSENTIALS

TOOL TROLLEY GTT B-S-177

The tool set together with the safe, clearly arranged, mobile GEDORE GTT B-7 tool trolley is extensively equipped in metric sizes for any automobile repair shop or mechanic's garage.

The seven 640 mm wide and 400 mm deep drawers - of which two are already fitted out with a 93-piece screwdriver and a 79-piece socket wrench set - hold up to 60 kg.

A **telescopic full extender** provides you with a view at all times of everything in the drawer. Five of the drawers are ideal for hand tools and can be individually partitioned with GEDORE's lengthwise dividers. The bottom drawer can also accommodate bigger tools and equipment.





Thanks to a high **total load capacity** - statically of 900 kg and dynamically of 650 kg - the GTT B-7 also serves as a storage tray for bigger tools and equipment

Individual locking ensures protection and convenience. Any unwanted opening of the drawers is prevented. The drawers are hand-opened by way of the release bar. Central locking with cylinder lock secures both tools and equipment from non-authorized accessing.

Convenience is added to the safeguarding aspect. Thanks to two smooth-running **wheels on ball bearings**, two large high-performance wheels and handle for easy pushing, pulling and turning, the GTT B-7 maintains its smooth running, manoeuvrability and track-keeping even when considerably weighed down.



GTT B-5-177 TROLLEY WITH TOOL ASSORTMENT

177 pieces

- ▶ Your basic equipment for the workshop: compact tool trolley with varied set of tools
- ▶ **Total load-bearing capacity: 900 kg (static), 650 kg (dynamic)**
- ▶ Ample storage space with seven drawers, load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- ▶ Telescopic, fully extending drawer runners for unrestricted access to the entire drawer
- ▶ Ease in steering and turning thanks to manoeuvrable handle, two roller-bearing GEDORE heavy-duty wheels (fixed castors Ø 200 mm) and two ball-bearing GEDORE smooth running wheels (swivel castors Ø 125 mm) with total brake
- ▶ Heel protection for your safety
- ▶ Side walls with square perforation 10 x 38 mm for fixing hooks and tools
- ▶ Dimensions: H 985 x W 775 x D 475 mm
- ▶ Wide drawers (W 640 x D 400 mm) with central locking and cylinder lock
- ▶ Stable, welded sheet-steel construction with ABS tray with three compartments for small items, two can holders, eight screwdriver trays
- ▶ Sheet steel, corrosion resistant and scratch-proof powder-coated
- ▶ Non-standard paint finish, body black, drawers in GEDORE Blue
- ▶ GEDORE tools in metric sizes
- ▶ GEDORE Check-Tool-System, 2-colour foam inserts for visual check into tool completeness
- ▶ Incl. a free extra: GEDORE Lunch box. Contains: insulated cooler bag, GEDORE L-BOXX mini, knife, bottle opener, Coffee2Go beaker
- ▶ **Only as long as stocks last**
- ▶ **Detailed listing of the contents on page 47**

100TH
ANNIVERSARY
1919 - 2019



LIMITED EDITION

Code	No.		Contents	H	W	D	pieces	
3106667	GTT B-5-177	7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	Tool Set in CT tool module No. TS-177, 177 pieces + Tool Trolley with 6 drawers No. GTT B7 + Rescue knife No. SB 6952-00, GEDORE L-BOXX Mini No. 1102 L, Cooler bag, Coffee2Go mug GEDOREred, Bottle opener 2K GEDORE	985	775	475	177	102.7

WSL-LB7

TOOL TROLLEY

WORKSTER SMARTLINE

BLACK EDITION

- ▶ For safe, clearly arranged and mobile storage of tools and equipment
- ▶ Total load capacity 400 kg
- ▶ Ample storage space with seven drawers, each drawer has a 20 kg load capacity
- ▶ Considerable safety from individual locking/ individual drawer blocking to stop more than one drawer being opened
- ▶ Ease in steering and turning with the manoeuvring handle and two Ø 125 mm swivel casters, one of which with a total brake.
- ▶ Telescopic, fully extending drawer runners for unrestricted access to the entire drawer
- ▶ Dimensions: H 1045 x W 785 x D 510 mm
- ▶ Wide drawers (W 640 x D 400 mm) with central locking and cylinder lock
- ▶ Side walls with square perforation 10 x 38 mm to fix hooks and tools
- ▶ Sides rounded off to minimize abutting edges
- ▶ Working platform with ABS top with front flattening and anti-roll safety edge
- ▶ Sheet steel, welded, corrosion-resistant and scratch-proof powder-coated
- ▶ Non-standard paint finish - structure black, drawers in GEDORE Blue
- ▶ Work facilitated from single-handed drawer operation



Code	No.		H	W	D	
3106675	WSL-LB7	7 drawers: 5x type 1, H = 80 mm, 2x type 2, H = 160 mm	1045	785	510	85.0

Tool trolley WSL-LB7

AS SET WITH ASSORTMENT

WSL-LB-TS-147

TOOL TROLLEY

WORKSTER SMARTLINE

WITH TOOL SET

147 pieces

- ▶ For safe, clearly arranged and mobile storage of tools and equipment
- ▶ GEDORE Check-Tool system: 2-colour plastic inserts for optical completeness check
- ▶ In tool trolley WSL-LB7
- ▶ Total load capacity 400 kg
- ▶ GEDORE tools in metric sizes
- ▶ Resistant to oil and grease
- ▶ Dimensions: H 1045 x W 785 x D 510 mm
- ▶ [Detailed listing of the contents on page 46](#)






Code	No.		Contents	H	W	D	pieces	
3106683	WSL-LB-TS-147	7 drawers: 5 type 1, H = 80 mm 2 type 2, H = 160 mm	1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pcs. Combination spanner set in CT module no. TS CT2-7, 24 pcs. Tool assortment in CT module no. TS CT2-2154SK-119, 14 pcs. Pliers range in CT module no. TS CT2-142, 28 pcs.	1045	785	510	147	97.0

WSL-L-TS-308 TOOL TROLLEY WORKSTER SMARTLINE WITH TOOL ASSORTMENT

308 pieces

- ▶ Tool set in Check-tool modules (CT)
- ▶ Full visibility thanks to 2-colour foam inserts
- ▶ Slip-free, grip recesses
- ▶ Resistant to oil and grease
- ▶ Tools in metric sizes
- ▶ In trolley WSL-L7
- ▶ **Detailed listing of the contents on page 46**





Code	No.		Contents	H	W	D	pieces	
2980347	WSL-L-TS-308	7 drawers: 5x type 1, H = 80 mm 2x type 2, H = 160 mm	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination spanner set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs Pliers set in CT module No. TS CT2-142, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs 1/2" set of screwdriver bit sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Screwdriver set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + trolley workster smartline No. WSL-L7	1045	785	510	308	105.6



WSL-MB6 TOOL TROLLEY WORKSTER SMARTLINE BLACK EDITION

- ▶ For safe, clearly arranged and mobile storage of tools and equipment
- ▶ Total load capacity: 300 kg
- ▶ Ample storage space with six drawers, each drawer has a 20 kg load capacity
- ▶ Considerable safety from individual locking/ individual drawer blocking to stop more than one drawer being opened
- ▶ Ease in steering and turning with the manoeuvring handle and two Ø 125 mm swivel casters, one of which with a total brake.
- ▶ Telescopic, fully extending drawer runners for unrestricted access to the entire drawer
- ▶ Dimensions: H 903 x W 625 x D 510 mm
- ▶ Wide drawers (W 480 x D 400 mm) with central locking and cylinder lock
- ▶ Side walls with square perforation 10 x 38 mm to fix hooks and tools
- ▶ Sides rounded off to minimize abutting edges
- ▶ Working platform with PP top with front flattening and anti-roll safety edge
- ▶ Sheet steel, welded, corrosion-resistant and scratch-proof powder-coated
- ▶ Non-standard paint finish - structure black, drawers in GEDORE Blue
- ▶ Work facilitated from single-handed drawer operation



Code	No.		H	W	D	
3106691	WSL-MB6	6 drawers: 5x Typ 1, H = 80 mm, 1x Typ 2, H = 160 mm	903	625	510	66.0

Tool trolley WSL-MB6


AS SET WITH ASSORTMENT

WSL-MB-TS-172 TOOL TROLLEY WORKSTER SMARTLINE BLACK EDITION WITH TOOL SET

172 pieces

- ▶ For safe, clearly arranged and mobile storage of tools and equipment
- ▶ Total load capacity: 300 kg
- ▶ In tool trolley WSL-MB6
- ▶ GEDORE tools in metric sizes
- ▶ Resistant to oil and grease
- ▶ Dimensions: H 903 x W 625 x D 510 mm



Code	No.		Contents	H	W	D	pieces
3106705	WSL-MB-TS-172	6 drawers: 5x type 1, H = 80 mm 1x type 2, H = 160 mm	Combination spanner No. 1 B, Sizes 8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm Socket No. C19, Sizes 8 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm 5 1/2" screwdriver hex bit socket No. IN19, Sizes 5 6 7 8 9 10 12 14 17 19 mm 1/2" reversible ratchet No. 1993 U-10 T 1/2" extension No. 1990, 75 125 250 mm 1/2" extension No. 1990 M, with holding magnet Bit socket box with 1/4" ratchet, 35 pcs. No. 666-U-20 Torsion bit set No. 666-042 1/4" ratchet screwdriver SilentGEAR No. 2675 with bit holder Hexagon socket key set No. H 42-10, hex Sizes 1.3 1.5 2.2 5 3 4 5 6 8 10 mm 3C screwdriver No. 2150, 4.5 5.6 5 8 mm 3C screwdriver No. 2160 PH 1 2 Universal pliers No. 142 10 TL, 10" Multiple pliers No. 8133-200 JC, 200 mm Power side cutter No. 8316-180 JC, 180 mm Voltage tester slotted No. 4615 3, 220-250 V, 3mm Engineers' hammer No. 4 E-500, 500 g Twist drill set No. 8550-024, Ø 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8 8.5 9 9.5 10 10.5 mm	903	625	510	172

2005 0511 TROLLEY

with 7 drawers

- ▶ Dimensions: H 985 x W 775 x D 475 mm
- ▶ Working platform with 3 compartments for small parts
- ▶ Both side walls with square perforation to fix torque wrenches or other long tools and accessories
- ▶ Central locking with cylinder lock
- ▶ Wide drawers (W 640 x D 400 mm), fully extendable, removable
- ▶ Single-hand operation with safety locking
- ▶ Drawer Runners
- ▶ Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- ▶ The trapezoidal GEDORE chassis ensures the following features: smooth running manoeuvrability, and track-keeping
- ▶ Total load capacity 500 kg




Code	No.		H	W	D	
1803018	2005 0511	7 drawers: 5x type 1, H = 67 mm, 1x type 2, H = 137 mm, 1x type 3, H = 207 mm	985	775	475	83.0

1504 0810 MOBILE WORKBENCH

with 9 drawers

- ▶ 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- ▶ Drawers fully extendable
- ▶ Single-hand operation with safety locking which prevents the drawers from opening when in motion
- ▶ Drawer Runners
- ▶ Drawers individually partitionable, delivery includes length- (LD) and crosswise dividers (CD), as well as 2 distance modules no. 1500 ED-70 K
- ▶ Bottom drawer designed as heavy-duty drawer
- ▶ Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- ▶ Large usable storage space with lockable door
- ▶ Central locking with cylinder lock
- ▶ With heel protection
- ▶ GEDORE heavy-duty chassis with high-performance wheels on roller bearings, with 2 fixed castors \varnothing 200 mm and 2 swivel castors \varnothing 125 mm with total brake
- ▶ Static load capacity **1000 kg, 750 kg** when mobile
- ▶ Dimensions: H 985 x W 1100 x D 550 mm
- ▶ In GEDORE blue
- ▶ Delivery without tools
- ▶ Optional fold-down rear panel no. R 1504 L can be fitted



Code	No.		H	W	D	mm	
1814923	1504 0810	9 drawers: 8 type 1, H = 67 mm, 1 type 2, H = 137 mm	985	1100	550	30	111.0

AS SET WITH ASSORTMENT

1504 EU WORKBENCH WITH TOOL ASSORTMENT

325 pcs

- ▶ For safe, clearly arranged and mobile storage of tools and equipment
- ▶ GEDORE Check-Tool system: 2-colour plastic inserts for optical completeness check
- ▶ In mobile workbench 1504
- ▶ Total load capacity **1000 kg** statically and **750 kg** dynamically
- ▶ GEDORE tools in metric sizes
- ▶ Dimensions: H 985 x W 1100 x D 550 mm
- ▶ **Detailed listing of the contents on page 44**



1/2" 6.3 1/4" 12.5




Code	No.	Icon	Contents	H	W	D	pieces	Icon	
1873849	1504 EU		Combination spanner set in 2/3 ES module No. 1500 ES-1 B 1/2" set of sockets in 1/3 ES module No. 1500 ES-19 IS 1/2" accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20 Double-ended ring spanners set in 1/3 ES module No. 1500 ES-2 Double-ended spanner set in ES module No. 1500 ES-2 B, short 1/4" socket wrench set in 1/3 ES module No. 1500 ES-20 1/4" socket wrench set in CT module No. 1500 CTD-20 BIT Socket wrench set in 1/3 ES module No. 1500 ES-2133 Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH Screwdriver set in 1/3 ES module No. 1500 ES-2163 TX Double-ended swivel head wrench set in 1/3 ES module No. 1500 ES-34 Chisel set in 1/3 ES module No. 1500 ES-350 Double-ended ring spanners set in 1/3 ES module No. 1500 ES-400, open Double open-ended spanner set in 1/3 ES module No. 1500 ES-6 Combination ring ratchet spanner set in 1/3 ES module No. 1500 ES-7 R Measurement set in 1/3 ES module No. 1500 ES-711 Set of circlip pliers in 1/3 ES module No. 1500 ES-8000 Hexagon socket key set in 2/3 ES module No. 1500 ES-DT 2142 1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-IN 19 LKM 1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-ITX 19 LKP 1/2" impact driver set in 1/3 ES module No. 1500 ES-K 1900 VDE pliers set in 1/3 ES module No. 1500 ES-VDE 145 VDE screwdriver set in 1/3 ES module No. 1500 ES-VDE 2170 PZ Screw extractor set No. 8551-55, M3-M18 Hexagon socket key set No. H 42 KEL-88, AF 2 2,5 3 4 5 6 8 10 mm, ball end Hexagon socket key set No. H 43 KTX-07, Sizes TX T10 T15 T20 T25 T27 T30 T40 Key file set No. 8728, flat, three-edged, square, half-round, round file Adjustable wrench, open end No. 60 P 8 10" grip wrench No. 137 10 ? Voltage tester No. 4615 3, 220-250 V, 3mm Cable knife No. 0513-09, 195 mm 1/2" high-speed swivel disc No. 1940 Distance module empty No.1500 ED-70 K, 475x77x40 mm [7x]	985	1100	550	325		145.0



1504 XL MOBILE WORKBENCH EXTRA WIDTH

with 7 drawers

- ▶ For safe, clearly arranged and mobile storage of tools and equipment
- ▶ 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- ▶ Ample storage space with seven drawers, an XL drawer (W 1055 x D 400 mm), six wide removable drawers (W 640 x D 400 mm)
- ▶ Telescopic, fully extending drawer runners for unrestricted access to the entire drawer
- ▶ The GEDORE trapezoidal axle construction ensures smooth running, manoeuvrability and track-keeping even under maximum loads
- ▶ Extensive storage space with shelf and lockable door
- ▶ Dimensions: H 985 x W 1250 x D 550 mm
- ▶ Heel protection for your safety
- ▶ Central locking with cylinder lock, simultaneous closing of drawers and door
- ▶ Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- ▶ GEDORE heavy-duty chassis, two GEDORE high-performance wheels on roller bearings (fixed castors Ø 200 mm) and two GEDORE smooth running wheels on ball bearings (swivel castors Ø 125 mm) with two total brakes
- ▶ Total load capacity **1000 kg** statically and **750 kg** dynamically
- ▶ Can be optimally equipped with GEDORE tool modules
- ▶ Sheet steel, welded, corrosion-resistant and scratch-proof powder-coated



Code	No.		H	W	D	mm	
1988468	1504 XL	7 drawers: 1x type XL, H = 67 mm, W = 1055 mm 4x type 1, H = 67 mm, 1x type 2, H = 137 mm, 1x type 3, H = 207 mm	985	1250	550	30	124.0

1504 XL-TS-308 WORKBENCH WITH TOOL ASSORTMENT

308 pieces

- ▶ 308-piece assortment for industrial, automotive and craft sector
- ▶ Tools in metric sizes
- ▶ GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- ▶ In workbench 1504 XL
- ▶ **Detailed listing of the contents on page 46**



Code	No.		Contents	H	W	D	mm	pieces	kg
2980355	1504 XL-TS-308	7 drawers: 1x type XL, H = 67 mm, B = 1055 mm 4x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination spanner set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs Pliers set in CT module No. TS CT2-142, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs 1/2" set of screwdriver bit sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Screwdriver set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + mobile workbench No. 1504 XL, 1.25 m wide	985	1250	550	30	308	148.6

411-150 PARALLEL VICE

- ▶ Serrated jaws ensure the workpieces are securely held
- ▶ Sturdy forged design, extremely resilient
- ▶ Jaws and anvil plate induction-hardened
- ▶ Adjustable guide for precision and durability
- ▶ Inner vice spindle protected from soiling and damage



Code	No.	mm	mm	kg
6501290	411-150	150	200	17.0



1

Parallel jaws

- ▶ Careful assembly of bolt connections with delicate surfaces (e.g. chrome-plated fittings) through smooth parallel jaws

2

Hybrid form

- ▶ Can also be used as a ratchet spanner thanks to the clever combination of socket and pliers



3

Sliding mechanism

- ▶ Sliding mechanism for quick and easy adjustment of the size

4

High gear ratio

- ▶ Excellent pressing and clamping force thanks to the extremely high transmission (>1:10)

GEDORE ESSENTIALS

PLIER WRENCH SB 183

The GEDORE SB 183 plier wrench as an **ingenious combination** of spanner and plier replaces not only two complete spanner sets - metric and inch - but also a ratchet wrench.

It is thus an adjustable, universal tool for bolting, bending, holding, pressing and gripping.



The plier wrench can be set to an exceptionally **high pressing and clamping force**; the jaws bring more than a ten-fold increase of hand force onto the workpiece. In so doing, the smooth and parallel jaws leave no marks at all on the materials. Synthetic materials, glass and chromed parts remain completely undamaged.

In addition, the JC S and TC S models are available with **special jaw covers** to handle particularly sensitive materials for which even the smooth plier wrench jaws are too rough.



SB 183 7 TC S-001 PLIER WRENCH

- ▶ Adjustable, universal tool for bolting, bending, holding, pressing and gripping
- ▶ Can replace two complete open-ended spanner sets, metric and inch
- ▶ Including special jaw covers for particularly sensitive surfaces
- ▶ Made acc. to DIN ISO 5743
- ▶ Model TC = chrome-plated, with blue dipped non-slip handles
- ▶ **Available for delivery as of 01.07.2019**



Code	No.	Size "	mm	mm	kg
3112438	SB 183 7 TC S-001	7	185	40	0.265

SB 183 10 TC PLIER WRENCH

- ▶ Adjustable, universal tool for bolting, bending, holding, pressing and gripping
- ▶ Can replace two complete open-ended spanner sets, metric and inch
- ▶ Made acc. to DIN ISO 5743
- ▶ Model TC = chrome-plated, with blue dipped non-slip handles



Code	No.	Size "	mm	mm	kg
3249190	SB 183 10 TC	10	250	52	0.535


SB 183 10 JC S-002 PLIER WRENCH

- ▶ Adjustable, universal tool for bolting, bending, holding, pressing and gripping
- ▶ Can replace two complete open-ended spanner sets, metric and inch
- ▶ Including special jaw covers for particularly sensitive surfaces
- ▶ Made acc. to DIN ISO 5743
- ▶ Model JC = chrome-plated, with 2-component handle covers





Code	No.	Size "	mm	mm	kg
3112268	SB 183 10 JC S-002	10	250	52	0.575

Product in use:



SB 142 TL UNIVERSAL PLIERS

- ▶ Universal water pump pliers with the most diverse of applications in all trades
- ▶ Self-clamping grip on round and angular workpieces, pipes and nuts
- ▶ Box joint with a 17-fold fine adjustment at the push of a button
- ▶ Effective clamping guard prevents fingers and hands being crushed
- ▶ Accessibility easy in tight spots thanks to the slender pliers head
- ▶ Induction-hardened teeth with 61 HRC
- ▶ GEDORE special chrome-vanadium steel
- ▶ Steel-grey with blue dip-coated gnarled handles
- ▶ Made acc. to DIN ISO 8976, Form D



Code	No.	"inch	L ₁	L ₂	b	h	mm	Model	kg
2723956	SB 142 7 TL	7	180	32	6.5	40	37	17 settings	0.183
1700111	SB 142 10 TL	10	255	39	7.5	48	38	15 settings	0.381
2081229	SB 142 12 TL	12	309	43	8.5	55	44	17 settings	0.550

S 8393 PLIERS SET

3 pieces

- ▶ Practical selection for a variety of uses
- ▶ Consisting of power side cutter, power combination pliers, water pump pliers

8314-180 JC power side cutter:


- ▶ Convex handle shape and pivot point in the joint displaced to the front for a high force build-up
- ▶ Induction-hardened cutting edges 63-65 HRC
- ▶ Gedore special tempered steel, chrome-plated
- ▶ 2C handle covers
- ▶ Cutting capacity: 25mm²/AWG4, piano wire max. 2.0 mm, copper wire max. 6.00 mm

8250-200 JC power combination pliers:

- ▶ For heavy continuous use
- ▶ Pivot point in the joint displaced to the front for a high force build-up
- ▶ Induction-hardened cutting edges 62-64 HRC
- ▶ GEDORE special tempered steel, chrome-plated
- ▶ 2C handle covers
- ▶ Cutting capacity: 25mm²/AWG4, piano wire max. 2.0 mm, copper wire max. 6.00 mm

142 10 TL water pump pliers:

- ▶ Self-clamping grip on pipes and nuts
- ▶ 15-fold fine adjustment at the push of a button
- ▶ Accessibility easy in tight spots thanks to the slender pliers head
- ▶ Induction-hardened teeth 61 HRC
- ▶ Steel-grey with blue dip-coated gnarled handles



Code	No.	Contents	pieces	kg
3012859	S 8393	10" Universal pliers no. 142 10 TL, Power combination pliers no. 8250-200 JC, 200 mm 2C handle Power side cutter no. 8314-180 JC, 180 mm 2C handle	3	1.066

100 1.1/2

ELBOW PIPE WRENCH ECK-SCHWEDE-SNAP® - THE SWEDISH

- ▶ Classic, tried-and-tested S open-end pipe wrench for use universally on pipes, nuts and screw connections
- ▶ Gripping size 60mm/2.3/8"
- ▶ Self-clamping grip on round and angular workpieces, pipes and nuts
- ▶ Non-detachable roller for continuous adjustments
- ▶ Accessing made easy thanks to the slender plier jaw
- ▶ Induction-hardened teeth with 61 HRC
- ▶ GEDORE special chrome-vanadium steel
- ▶ Made acc. to DIN ISO 5234, Form C



Code	No.	Size	mm	L	
4500220	100 1.1/2	1.1/2	60	420	1.400

SB 8092-160 TL CABLE SHEARS

- ▶ For precision-cutting multi-core copper and aluminium cables
- ▶ Precision ground for best cutter performances
- ▶ Cutting capacity: 50mm² /AWG 1, D=10mm
- ▶ Cutting hardness: 55HRC
- ▶ Special tempered steel, ground
- ▶ Blue dip-coated gnarled handle covers



Code	No.	mm ²	Ø	↳ mm ◀	
3093557	SB 8092-160 TL	10/50	10	160	0.180

1 B (MM) COMBINATION SPANNER SET

- ▶ For undoing and tightening, square, hexagon and bi-hexagonal screws and nuts
- ▶ GEDORE UNIT DRIVE profile
- ▶ Precision machining of Jaws
- ▶ Non-glare matt chrome-plated
- ▶ Chrome-vanadium steel 31CrV3




Code	No.	Contents	pieces	
6012840	1B-0112	6 7 8 9 10 11 12 13 14 15 17 19	12	0.925
6012920	1B-026	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32	26	7.500

7-0112 COMBINATION SPANNER SET

12 pieces

- ▶ For undoing and tightening, square, hexagon and bi-hexagonal screws and nuts
- ▶ GEDORE UNIT DRIVE profile
- ▶ Precision machining of Jaws
- ▶ Non-glare matt chrome-plated
- ▶ Chrome-vanadium steel 31CrV3






Code	No.	Contents	pieces	
6091530	7-0112	6 7 8 9 10 11 12 13 14 15 17 19	12	0.686

1101-005

CIRCLIP PLIERS SET

in GEDORE i-BOXX® 72, 8 pieces

- ▶ High-grade circlip pliers set in convenient GEDORE i-BOXX
- ▶ For internal and external retaining rings in acc. with DIN 471, DIN 472, DIN 983 and DIN 984
- ▶ Straight and 90°-angled designs with straight and angled jaws
- ▶ Fitted tips of highly wear-resistant roller bearing steel, highly durable, very robust and non-twisting
- ▶ Dip-coated handle covers
- ▶ Made acc. to DIN 5254 or DIN5257



Code	No.	Contents	W	D	H	pieces	kg
3108651	1101-005	Circlip pliers for external retaining rings No. 8000 AE 1 + 8000 AE 2, straight Circlip pliers for external retaining rings No. 8000 AE 11 + 8000 AE 21, angled at 45° Circlip pliers for internal retaining rings No. 8000 JE 1 + 8000 JE 2, straight Circlip pliers for internal retaining rings No. 8000 JE 11 + 8000 JE 21, angled at 45°	367	316	72	8	1.6

Code	No.	Model	mm	inch	mm	inch	L	L ₂	d	kg
2930668	8000 AE 1	●	10-25	3/8-1	145	39	1.3	0.127		
2923602	8000 AE 2	●	19-60	3/4-2.3/8	183	57	1.8	0.198		
2930706	8000 AE 11	●	10-25	3/8-1	133	27	1.3	0.127		
2930714	8000 AE 21	●	19-60	3/4-2.3/8	170	44	1.8	0.198		
2930765	8000 JE 1	●	12-25	3/8-1	139	41	1.3	0.116		
2930773	8000 JE 2	●	19-60	3/4-2.3/8	182	54	1.8	0.193		
2930838	8000 JE 11	●	12-25	3/8-1	129	30	1.3	0.116		
2930846	8000 JE 21	●	19-60	3/4-2.3/8	170	43	1.8	0.193		

SB VDE 8131 AB-200 H VDE MULTIPLE PLIERS

with VDE insulating sleeves, angled pattern

- ▶ Specially adapted to the needs of electrical installation work
- ▶ For gripping and holding the most varied of materials thanks to toothed gripping surfaces and angled plier tip
- ▶ For cutting cables and strands up to $5 \times 2.5 \text{ mm}^2$ or 12mm
- ▶ Wire-stripping recesses for cables and strands up to 2.5 mm^2
- ▶ For crimping cable end sleeves
- ▶ Ergonomic 2C handle covers ensure safe, easy working under energized conditions
- ▶ GEDORE special tempered steel, chrome-plated
- ▶ Insulated up to 1000V AC based on DIN EN/IEC 60900



Code	No.	L mm	Ø
3100383	SB VDE 8131 AB-200 H	200	0.217

SB VDE 8098 H VDE STRIPPING PLIERS

with VDE insulating sleeves

- ▶ For stripping cables and strands $0.75 \text{ mm}^2 - 6.0 \text{ mm}^2$
- ▶ Cutting depth adjustable using brass screw and nut
- ▶ Opening spring makes for easy working
- ▶ Scale for sheath stripping length
- ▶ Ergonomic 2C handle covers ensure safe, easy working under energized conditions
- ▶ GEDORE special tempered steel, chrome-plated
- ▶ Insulated up to 1000V AC based on DIN EN/IEC 60900



Code	No.	L mm	Ø
1699997	SB VDE 8098-160 H	160	204

SB VDE 8314 H VDE SIDE CUTTER

with VDE insulating sleeves

- ▶ Slim head - ideal for confined spaces
- ▶ Induction-hardened precision cutting edges, hardness 63-65 HRC
- ▶ Capacity max. $13 \text{ mm} / 5 \times 2.5 \text{ mm}^2$
- ▶ Strand up to $16 \text{ mm}^2 / \text{AWG} 5$
- ▶ Cutting values: medium-hard 2mm, soft 3mm
- ▶ Copper/plastic: 4mm
- ▶ Ergonomic 2C handle covers ensure safe, easy working under energized conditions
- ▶ GEDORE special tempered steel, chrome-plated
- ▶ Insulated up to 1000V AC based on DIN EN/IEC 60901



Code	No.	L	Ø
1699873	SB VDE 8314-160 H	160	1,6

1100-1094 VDE TOOL ASSORTMENT HYBRID

in GEDORE L-BOXX® 136, 53 pieces

- ▶ The perfect range of tools for repairs and maintenance of hybrid and electric vehicles
- ▶ For vehicles of all the manufacturers
- ▶ GEDORE L-BOXX® 136 with easy click attaching system compatible with the Sortimo® vehicle interior fittings in your service mobile
- ▶ All tools insulated on the basis of EN 60900/EC 60900



Code	No.	Contents	W	D	H	pieces	kg
2979063	1100-1094	3/8" VDE Socket No. VDE 30, SW 6 8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm 3/8" VDE Screwdriver bit socket No. VDE INX 30, AF 8 10 12 mm 3/8" VDE Extension No. VDE 3090 -3 -6, 75 150 mm 3/8" VDE Reversible ratchet No. VDE 3093 U ⊖ VDE Screwdriver slotted No. VDE 2170, 2.5 3.5 4 5.5 mm ⊕ VDE Screwdriver cross-slotted No. VDE 2160 PH 1 2 3 ⊗ VDE Screwdriver TX No. VDE 2163 TX T20 T25 T30 VDE Cable shears No. VDE 8094, 200 mm, VDE Universal pliers No. VDE 146 10, 10" VDE Power combination pliers No. VDE 8250-200 H, 200 mm, 2C handle VDE Power side cutter No. VDE 8314-180 H, 180 mm VDE Bent nose pliers No. VDE 8132 AB-200 JC, 200 mm angled 2C handle VDE Flat nose pliers No. VDE 8120-160 H, 160 mm, 2C handle VDE Cable knife No. VDE 4522, 180 mm, Meter connection fitting No. V 914, Size 1 2 3	442	357	151	53	8.3

V 2160 MS PH 2 SCREWDRIVER MAVO

for cross-head screws PH

- ▶ Screwdriver MaVo for cross-head screws PH 2
- ▶ No-contact voltage finder and fitted magnetic field tester
- ▶ Voltage and magnetic fields are displayed in red and green, respectively
- ▶ Individually tested, insulation up to 1000 V
- ▶ The no-contact voltage finder detects energised conductors. Capacitive testing method can localise a break in the cable down to a few millimetres.
- ▶ The magnetic field tester examines the function of electro-magnetic switches and valves without having to place the switch out of service. Both permanent and alternating magnetic fields are displayed
- ▶ 3-component handles Power-Grip³
- ▶ Ergonomic handle design enables precise and fatigue-free working
- ▶ Positive-fit joint of handle and blade for optimum transfer of force
- ▶ Blade from GEDORE molybdenum-vanadium-Plus tempered steel



Code	No.	⊕ PH	M	mm	mm	kg
2824434	V 2160 MS PH 2	2	M3,5 - M5	100	210	0.138

VDE 2170-2160 PH-077

VDE SCREWDRIVER SET

7 pieces

- ▶ VDE screwdriver for slotted head screws 2.5 4 5.5 6.5,
VDE screwdriver for cross-slotted screws PH 0 1 2
- ▶ Type of drive and size marked at end of the handle
- ▶ Insulated up to 1000V AC based on DIN EN/IEC 60900, fully insulated blade
- ▶ 3-component handle power grip³ with hanging hole
- ▶ Ergonomic handle design enables precise and fatigue-free working
- ▶ Positive-fit joint of handle and blade for optimum transfer of force
- ▶ Blade from GEDORE molybdenum-vanadium-Plus tempered steel




Code	No.	Contents	pieces	
1616048	VDE 2170-2160 PH-077	⊖ ⊕ VDE screwdriver set no. VDE 2170-2160 PH-077 slotted 2.5 4 5.5 6.5, cross-slotted PH 0 1 2	7	0.575

VDE 2162-2172 PH-02


VDE SCREWDRIVER SET SLIM DRIVE

2 pieces

- ▶ VDE screwdriver for slotted head screws 3.5,
VDE screwdriver for cross-slotted screws PH 2
- ▶ SLIM DRIVE: Ultra-small blade diameter yet with full
mechanical and electrical safety
- ▶ No problems in reaching screws deeply embedded in screw shafts
- ▶ 3-component handle power grip³ with hanging hole
- ▶ Ergonomic handle design enables precise and fatigue-free working
- ▶ Positive-fit joint of handle and blade for optimum transfer of force
- ▶ Insulated up to 1000V AC based on DIN EN/IEC 60900, fully insulated blade



Code	No.	Contents	pieces	
2928736	VDE 2162-2172 PH-02	⊖ VDE 2172 3,5, ⊕ VDE 2162 PH 2	2	0.160



GEDORE ESSENTIALS

CENTURY SCREWDRIVER SET C 2150-60 PH-06

The GEDORE 3C screwdriver set is for a **controlled undoing and tightening** of slotted head and cross-slotted screws, PH design.

The die-cast **3-component handles**, Power-Grip³, ensure a hands-friendly transfer of power during the work.





The practical **drive type and size markings** on the Power-Grip³ handle end ensure that the right screwdriver is quickly accessed - even with the blade tip hidden - e.g. in the wallet or case.

The **phase tester** in the set is for 220-250 alternating voltage, and is fully insulated conforming to DIN VDE 0680-6.

Practical selection in environmentally-friendly cardboard box.



C 2150-60 PH-06 CENTURY SCREWDRIVER SET

6 pieces

- ▶ Screwdriver for slotted head screws 5.5 6.5 8, screwdriver for cross-slotted screws PH 1 2, phase tester 3.5 for 220-250V, AC
- ▶ Type of drive and size marked at end of the handle
- ▶ Fully insulated conforming to DIN VDE 0680-6
- ▶ 3-component handle power grip³ with hanging hole
- ▶ Ergonomic handle design enables precise and fatigue-free working
- ▶ Positive-fit joint of handle and blade for optimum transfer of force
- ▶ Screwdriver blade from GEDORE molybdenum-vanadium-Plus tempered steel

NEW



100TH
ANNIVERSARY
1919 - 2019

Code	No.	Contents	pieces	
3106411	C 2150-60 PH-06	⊖ Screwdriver No. 2150 5.5 6.5 8, ⊕ Screwdriver No. 2160 PH 1 2, Phase tester No. 4615 3.5	6	0.545

2675

RATCHET SCREWDRIVER SILENTGEAR 1/4" BIT HOLDER

- ▶ Ratchet screwdriver with extremely small return angle over serrated ratchet screwdriver, practically 0° (hardly measurable using mechanical measurement equipment)
- ▶ SilentGear for practically no-noise working
- ▶ Rotating ring for bi-directional adjustment
- ▶ Rotating ring centre position permits ratchet-free bolting work
- ▶ Small diameter bit holder with strong Neodym magnet
- ▶ Strength-saving work thanks to the ergonomic dual material handle
- ▶ Hanging hole
- ▶ For hexagon drive bits in acc. with DIN 3126 - C 6.3+E 6.3



Code	No.	Hex"	Hex	Width of handle	kg
3031918	2675	1/4	6.3	33.2	0.140

2142 T-008

HEXAGON ALLEN KEY SET

8 pieces

- ▶ T-handle screwdriver for out-of-the-ordinary screw-tightening where considerable force is needed
- ▶ Popular sizes for in-hex screws 2 2.5 3 4 5 6 8 10
- ▶ Strength-saving work thanks to the ergonomic dual material T-handles with hanging hole
- ▶ Chrome-vanadium steel, blade chrome-plated, tip gun-metal finish



Code	No.	Contents	pieces	kg
3037428	2142 T-008	● 2142 T 2 2,5 3 4 5 6 8 10	8	0.970

2142 TX-007 SCREWDRIVER SET TX

7 pieces

- ▶ T-handle screwdriver for out-of-the-ordinary screw-tightening where considerable force is needed
- ▶ Popular sizes for recessed TX screws
T10 T15 T20 T25 T27 T30 T40
- ▶ Strength-saving work thanks to the ergonomic dual material T-handles with hanging hole
- ▶ Chrome-vanadium steel, blade chrome-plated, tip gun-metal finish



Code	No.	Contents	pieces	
3037401	2142 TX-007	 2142 TX T10 T15 T20 T25 T27 T30 T40	7	0.670

SB H 42 KEL-88 HEXAGON SOCKET KEY SET

8 pieces

- ▶ Ball end on the long handle eases working where fitting is very tight
- ▶ Used throughout the workshop and at home
- ▶ Precision-chamfered working edges for ease of insertion into the screw head
- ▶ Practical, well-arranged plastic holder ensures orderliness
- ▶ DIN ISO 2936
- ▶ GEDORE vanadium steel 59CrV4



Code	No.	Contents	pieces	
3107469	SB H 42 KEL-88	 mm 42 KEL 2 2,5 3 4 5 6 8 10	8	0.415

19 DMU-20

SOCKET SET 1/2"

15 pieces

- ▶ For undoing and tightening screws and nuts
- ▶ Compiled for industry and the do-it-yourselfer for daily usage
- ▶ Small 6° return angle brought about by a fine 60-toothed reversible ratchet
- ▶ Pressure button release for non-detachable fitting of the bit socket
- ▶ Sockets with screw protecting hexagon UD profile and universal joint extension allowing for a swivel of up to 15°
- ▶ Tools made from GEDORE vanadium steel 31CrV
- ▶ Plastic case with window




Code	No.	Ratchet	Sockets	Accessories	pieces	kg
3014347	19 DMU-20	1993 U-20	19 10 12 13 15 16 17 18 19 22 24 27 30 32	1990 KR-10	15	2.9

IN 19-009

SCREWDRIVER BIT SOCKET SET 1/2"

9 pieces

- ▶ 1/2" screwdriver set for size 4 - 14 mm in-hex screws
- ▶ In a practical, robust plastic case
- ▶ This set comes with a high-grade foam insert for keeping the components in place
- ▶ GEDORE Check-Tool system: 2-colour plastic inserts for optical completeness check



Code	No.	Sockets	pieces	kg
3014444	IN 19-009	IN 19 4, IN 19 L 5-90 6-90 7-140 8-140 9-140 10-140 12-140 14-140	9	1.9

K 1900-018 HAND-OPERATED IMPACT DRIVER SET 1/2"

18 pieces

- ▶ Reversible for right and left hand operation
- ▶ Rotating strike movement combined for optimum force transfer onto the screw
- ▶ Ideally suited for the automotive sector
- ▶ 1/2" square drive for impact screwdriver bit sockets



12,5 1/2 8 5/16

Code	No.	Contents	"		pieces	
6654600	K 1900-018	⊖ 880 5,5 6,5 8 12, ⊕ 885 4 5 6 8 10, ⊕ 890 2 3 4 ⊕ 887 TX T27 T30 T40 T45, KB 819, K 1900	1/2	12,5	18	1.249

32 FMU-2 SOCKET SET 3/4"

16 pieces

- ▶ For undoing and tightening large-size screws and nuts
- ▶ Ideal for any rugged stationary or mobile daily use in the utility vehicle workshop or in industry
- ▶ Socket set with screw-protecting hexagon UD profile
- ▶ GEDORE vanadium steel 31 CrV3, chrome-plated
- ▶ Dimensions: 555 x 230 x 80 mm
- ▶ GEDORE rugged, durable blue sheet steel case



UNIT DRIVE 20 3/4

Code	No.	Ratchet	Sockets	Accessories	pieces	
6281150	32 FMU-2	⊖ U-2 3293 U-2	⊖ 32 22 24 27 30 32 36 38 41 46 50 55 60	⊖ 3287, ⊖ 3290-8 -16	16	15.8

666-032-A BIT BOX ALLROUND

32 pieces

- ▶ Practical bit selection for industry, the trades and the ambitious do-it-yourselfer.
- ▶ Bit holder with quick-clamp system, magnet and machine mounting
- ▶ Plastic bit-box with transparent cover for quickly checking on tool completeness when work is over



6.3 1/4"

Code	No.	Contents	pieces	kg
2993236	666-032-A	⊖ 4.5 (1x) 5.5 (2x) 6.5 (1x), ⊕ PH 1 (2x) PH 2 (3x) PH 3 (1x) ⊕ PZ 1 (2x) PZ 2 (4x) PZ 3 (1x), ⊕ TX T10 (1x) T15 (1x) T20 (2x) T25 (3x) T30 (2x) T40 (1x), ● 3 (1x) 4 (1x) 5 (1x) 6 (1x), Adapter 1/4"-1/4"	32	0.246

SB 666-U-20 BIT SOCKET WRENCH BOX WITH RATCHET 1/4"

35 pieces

- ▶ Practical selection: Bit sockets and ratchet for industry, the trades and the ambitious do-it-yourselfer.
- ▶ Integrated bi-directional reversible ratchet
- ▶ Anti-slip dual material handle for a hands-friendly transfer of force
- ▶ Pressure button release for non-detachable fitting of the bit socket
- ▶ Very thin-walled hexagon sockets for manual and mechanical deployment: Size 4-13
- ▶ Plastic socket wrench box with hard foam insert and transparent cover for quickly checking tool completeness when work is over



Code	No.	Contents	pieces	kg
3107558	SB 666-U-20	Impact socket 1/4", ⊖ 4 5 5.5 6 7 8 9 10 11 12 13 Bit 1/4", ● 4 5 6 8, ⊕ TX° T10 T15 T20 T25 T27 T30 T40 ⊕ PH1 PH2 PH3, ⊕ PZ1 PZ2 PZ3, ⊖ 4.5 5.5 6.5 Wobble extension 1/4" 50 mm, Bit adapter 1/4" sq. dr. - 1/4" hex dr. Adapter 1/4" hex dr. - 1/4" sq. dr., GEDORE Ratchet 1/4" 2093 U-20	35	0.570

666-006 BIT BOX SOCKET MACHINE MOUNT

6 pieces

- ▶ Practical selection of hexagon sockets with machine mounting in sizes 7 8 10 12 13 and 3/8"
- ▶ In particular for hexagon-head self-tapping screws and for all other hexagon screws
- ▶ Strong permanent magnet to keep the screw securely centred
- ▶ Allows hexagon screws to be screwed in and out without damage
- ▶ Plastic box with transparent cover for quickly checking tool completeness when work is over




6.3 1/4"

Code	No.	Contents	pieces	kg
2993244	666-006	Sockets machine mount 1/4" 7 8 10 12 13 mm and 3/8"	6	0.240

SB 2093 U-20 REVERSIBLE RATCHET 1/4"

- ▶ For undoing and tightening screws by hand
- ▶ Integrated bi-directional reversible ratchet
- ▶ Anti-slip dual material handle with hanging hole for a hands-friendly transfer of force
- ▶ Pressure button release for non-detachable fitting of the bit socket
- ▶ For hand-operated sockets and adapter pieces with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31 CrV3, chrome-plated
- ▶ Acc. to DIN 3122, ISO 3316

6.3 1/4"



Code	No.	■"	■	◄°	◄mm►	mm	Width of head	◄mm►
3100294	SB 2093 U-20	1/4	6.3	9	127	20	24.6	0.100

SB 3093 U-20 REVERSIBLE RATCHET 3/8"

- ▶ For undoing and tightening screws by hand
- ▶ Integrated bi-directional reversible ratchet, fine-toothed
- ▶ Anti-slip dual material handle with hanging hole for a hands-friendly transfer of force
- ▶ Pressure button release for non-detachable fitting of the bit socket
- ▶ For hand-operated sockets and adapter pieces with square drive as per DIN 3120 - C 10, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31 CrV3, chrome-plated
- ▶ Acc. to DIN 3122, ISO 3316



Code	No.	■"	■	◄°	◄mm►	mm	Width of head	◄mm►
3100308	SB 3093 U-20	3/8	10	6	200	29.7	34.2	0.292

SB 1993 U-20 REVERSIBLE RATCHET 1/2"

- ▶ For undoing and tightening screws by hand
- ▶ Integrated bi-directional reversible ratchet, fine-toothed
- ▶ Anti-slip dual material handle with hanging hole for a hands-friendly transfer of force
- ▶ Pressure button release for non-detachable fitting of the bit socket
- ▶ For hand-operated sockets and adapter pieces with square drive as per DIN 3120 - C 12.5, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31 CrV3, chrome-plated
- ▶ Acc. to DIN 3122, ISO 3316



Code	No.	■"	■	◄°	◄mm►	mm	Width of head	◄mm►
3100286	SB 1993 U-20	1/2	12.5	6	270	37.5	41	0.536

1993 U-10 L

REVERSIBLE RATCHET 1/2"

long pattern

- ▶ For undoing and tightening screws by hand
- ▶ Integrated bi-directional reversible ratchet, ratchet lock in the centre position, fine-toothed
- ▶ Long design
- ▶ Anti-slip dual material handle with hanging hole for a hands-friendly transfer of force
- ▶ Pressure button release for non-detachable fitting of the bit socket
- ▶ For hand-operated sockets and adapter pieces with square drive as per DIN 3120 - C 12.5, ISO 1174, with ball locking device
- ▶ GEDORE vanadium steel 31 CrV3, chrome-plated
- ▶ Acc. to DIN 3122, ISO 3316



Code	No.	■"	■	◄°	↳ mm ◀	↳ mm ◀	Width of head	↳ kg ◀
6154550	1993 U-10 L	1/2	12.5	7,5	350	41	42	0.620

3293 U-10

REVERSIBLE RATCHET 3/4"

- ▶ For undoing and tightening screws by hand
- ▶ Integrated bi-directional reversible ratchet, ratchet lock in the centre position
- ▶ With recessed lever change
- ▶ Extension tube
- ▶ Ideal for any rugged stationary or mobile daily use in the utility vehicle workshop or in industry
- ▶ Adapter pieces with square drive as per DIN 3120 - D 20, ISO 1174, with locking pin
- ▶ GEDORE vanadium steel 31 CrV3, chrome-plated
- ▶ Acc. to DIN 3122, ISO 3316



Code	No.	■"	■	◄°	↳ mm ◀	↳ mm ◀	Width of head	↳ kg ◀
6277980	3293 U-10	3/4	20	11,25	620	57.5	70	2.630

SB 1990 M

EXTENSION 1/2" WITH HOLDING MAGNET

- ▶ The holding magnet securely fixes the screws or nuts in the socket
- ▶ Makes bolting that much easier when working in confined spaces
- ▶ One-hand operation - using the socket wrench the screw or nut can be immediately screwed in
- ▶ The magnetic field keeps screws and nuts socket-centred without any direct contact
- ▶ The strong permanent magnet keeps hold of even large screws
- ▶ GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	■"	■	↳ mm ◀	↳ mm ◀	↳ kg ◀
2905329	SB 1990 M	1/2	12.5	12		0.115

SB 3090 M EXTENSION 3/8" WITH HOLDING MAGNET

- ▶ The holding magnet securely fixes the screws or nuts in the socket
- ▶ Makes bolting that much easier when working in confined spaces
- ▶ One-hand operation - using the socket wrench the screw or nut can be immediately screwed in
- ▶ The magnetic field keeps screws and nuts socket-centred without any direct contact
- ▶ The strong permanent magnet keeps hold of even large screws
- ▶ GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	■ "	■	↳ mm ◁	↕ kg
3093921	SB 3090 M	3/8	10.0	65	0.070

SB 1990 KR UNIVERSAL-JOINT EXTENSION

- ▶ For hand-operated sockets with square drive 1/2"
- ▶ Makes bolting that much easier when working in confined spaces
- ▶ 2 functions: 230 N-m universal joint and fixed as a normal extension, loadable in acc. with DIN
- ▶ Fixing done by fully mounting the bit socket up to the squared catch on the extension
- ▶ GEDORE vanadium steel 31CrV3, chrome-plated



Code	No.	■ "	■	↳ mm ◁	↕ kg
3107450	SB 1990 KR-2	1/2	12.5	63	0.106
3093700	SB 1990 KR-5	1/2	12.5	125	0.186
3093719	SB 1990 KR-7	1/2	12.5	180	0.261
3093727	SB 1990 KR-10	1/2	12.5	250	0.351

SL 19 TOOL HOLDING RAIL, MAGNETIC 1/2"

empty

- ▶ For the orderly storage and taking along of up to 12 1/2" sockets of different sizes as well as two other tools e.g ratchet and extension
- ▶ Turning the sockets through 90° to the right or left locks and or unlocks them respectively
- ▶ Magnetic over the entire back but with additional holes to ensure fastening to non-metallic bases
- ▶ This socket rail can be fixed in any position horizontally, vertically and overhead. As such, the tools are there to hand and secured from rolling off or becoming soiled



12,5 1/2" 12,5 1/2" Ω

Code	No.	Model	↳ mm ◁	mm	↕ kg
1828665	SL 1912	for 12 pieces 1/2" sockets	480	33	0.481



1

Variable

- ▶ 8 different pullers can be combined

2

Durability

- ▶ Long life and high safety reserves due to cross beam, leg and extension being hot drop-forged



3

Clamping depth

- ▶ As a result of possible clamping reaches continuously up to 130 mm / clamping depths 10,0 100, 200, 250, 350 mm

4

Feet

- ▶ The forged hooked feet are particularly suitable for difficult-to-access places

GEDORE ESSENTIALS**PULLER SET**
1101-1.04/SEB-08

The GEDORE 101-1.04/SEB-08 puller set is ideal for alternating pulling/extracting due to **clamping reaches continuously** up to 1340mm and clamping depths down to 100, 200, 250 and 350mm.



The **slim hooked feet** are a great help when working in confined spaces.

A striking feature of the puller set is its **long life** and high safety reserves on account of the hot drop-forged cross-beams, legs and extensions

The various supplied components permit a combination of **8 different pullers**.

Leg brake, quick-release clamp and the scale facilitate and shorten the work of puller aligning and adjustment.

NEW

1101-1.04/SEB-08

PULLER SET, 2-ARM

9 pieces

- ▶ For loosening seized connections on shafts or in housings
- ▶ Universal set incl. 2-arm puller, extensions, leg lengths, hooked feet for internal and external pulling
- ▶ For alternating pulling/extracting
- ▶ As a result of possible clamping reaches continuously up to 130 mm / clamping depths 10, 100, 200, 250, 350 mm
- ▶ Variable, rapid and safe working thanks to quick-clamp mechanism, leg brake, leg for confined spaces
- ▶ No-maintenance spindle, spindle tip replaceable
- ▶ Long life and high safety reserves due to cross beam, leg and extension being hot drop-forged
- ▶ The forged hooked feet are particularly suitable for difficult-to-access places
- ▶ **8** different pullers can be combined
- ▶ With Check-Tool insert for quick check of tool completeness
- ▶ Made in Germany



100TH
ANNIVERSARY
1919 - 2019



Code	No.	Contents	pieces	
3106756	1101-1.04/SEB-08	i-BOXX 72 No. 1101 L + assortment No. 1101 CT2-1.04	9	3.77

1100-1.04

UNIVERSAL PULLER SET

in L-BOXX® 136, 13 pieces

- ▶ For loosening seized connections on shafts or in housings
- ▶ Universal set incl. 2 and 3-arm puller, extensions, leg lengths, hooked feet for internal and external pulling
- ▶ For alternating pulling/extracting
- ▶ As a result of possible clamping reaches continuously up to 130 mm / clamping depths 100, 200 mm
- ▶ Variable, rapid and safe working thanks to leg brake, legs for confined spaces, 2 no-maintenance spindles, replaceable spindle tip
- ▶ Long life and high safety reserves due to cross beam, leg and extension being hot drop-forged
- ▶ The forged hooked feet are particularly suitable for difficult-to-access places
- ▶ **12** different pullers can be combined
- ▶ With Check-Tool insert for quick check of tool completeness
- ▶ Made in Germany



Code	No.	Contents	pieces	
2838362	1100-1.04	L-BOXX® 136 no. 1100 L + assortment No. 1100 CT2-1.04	13	6.300

1101-1.29/3K BALL BEARING EXTRACTOR SET

in i-BOXX® 72

- ▶ For removing deep-groove ball bearings that are both on a shaft and in a housing
- ▶ Non-destructive removal of deep-groove ball bearings involving no shaft dismantling and no drilling open of the caged bearing (chipless)
- ▶ No extra support rings needed due to the optimized hook form and the spacer being directly at the leg. This improves optimum holding in the bearing outer ring
- ▶ The Check-Tool insert quickly detects any missing tools and allows them to be fully lowered in the foam; thus the equipped insert is stackable in workshop trolleys and benches upwards of a 60mm drawer height
- ▶ Made by GEDORE



Code	No.	for ball bearing No.	Contents	pieces	kg
2964392	1101-1.29/3K	6000 6001 6002 6003 6004 6005 6006 6007 6008 6009 6010 6011 6012 6200 6201 6202 6203 6204 6205 6206 6207 6208 6209 6210 6211 6212 6213 6300 6301 6302 6303 6304 6305 6306 6307 6308 6309 6310 6311 6403 6404 6405 6406 6407	4 Heads with spindle No. 1.29/1 - 1.29/5 7 Hook sets No. 1.29/10 - 1.29/45 1 Plug-in handle No. 1.29/0 GEDORE i-BOXX 72	13	5.8

SB 116 D SPLIT PIN PUNCH SET IN METAL CASE WITH LID

6 pieces

- ▶ For driving in or driving out split pins, spring pins, bolts and other connecting elements
- ▶ Rounded-off edges and diameter minus tolerances ensure a low clamping risk during deployment
- ▶ Precision-tempering undertaken along the full length
- ▶ Striking heads inductively tempered
- ▶ Made from special steel
- ▶ To DIN 6450



Code	No.	Contents	pieces	kg
3107523	SB 116 D	119-3 -4 -5 -6 -7 -8	6	0.820

SB 106 D TOOLS SET IN METAL CASE WITH LID

6 pieces

- ▶ For chiselling work on steel and other metals and for driving in/out split pins, spring pins, bolts and other connecting elements
- ▶ Universal use in the metalworking or automotive fields
- ▶ Precision-tempering undertaken along the full length
- ▶ Striking heads inductively tempered
- ▶ Made from special steel



Code	No.	Contents	pieces	kg
3107531	SB 106 D	97-125 150 98-125 99 12-3 100-10 119-4	6	0.805

600 H ENGINEERS' HAMMER ROTBAND-PLUS

- ▶ Engineers' hammer incorporating tried-and-tested safety technology
- ▶ For use throughout the workshop and on the site
- ▶ Tempered hammer head and tempered ROTBAND-Plus steel handle protective sleeve
- ▶ Hammer head hot drop-forged, DIN 1041
- ▶ Double-welded, durable hickory handle DIN 5111



Code	No.	g	↳ mm	
8583070	600 H-300	300	300	0.502
8583230	600 H-500	500	320	0.727
8583580	600 H-800	800	350	1.135

248 ST RECOILLESS HAMMER

- ▶ Ideal for bending, straightening and joining damageable or hard components
- ▶ The steel shot filling ensures the striking energy is fully exploited
- ▶ With a splinter-proof, and breakage/wear-resistant polyamide head
- ▶ With non-slip handle and very robust and durable steel tube handle
- ▶ Ease in fitting replacement heads



Code	No.	∅ mm	↳ mm	
8829170	248 ST-40	40	300	0.800
8829250	248 ST-50	50	310	1.005
8829330	248 ST-60	60	335	1.800

920 WORK GLOVES FASTFIT

- ▶ For protecting hands from dirt and pressure points when working and assembling
- ▶ Especially for working on cars, motor bikes and machines
- ▶ Also for work in the house, garden, on hobbies and in leisure time pursuits
- ▶ Very hard wearing from the use of special, roughened imitation leather fitted, in part, in a double layer
- ▶ Flexible elasticated band for perfect fit and practicability
- ▶ Very good feel retention



Code	No.	Size	
1938584	920 9	M/9	0.080
1938592	920 10	L/10	0.080
1938606	920 11	XL/11	0.080
1938614	920 12	XXL/12	0.080



1

Multitalented

- ▶ Versatile deployable LED/UV lamp of a slim design with extra functions

2

Dimmable

- ▶ Continuously dimmable and switchable in blue-violet from LED to UV light (for tracking leaks.g. in air-conditioners and heat pumps).

3

Attachment

- ▶ Swing-out hooks on both sides
- ▶ Strong magnet at the 45° adjustable foot and strong tip mini-magnet for bringing up lost incidental parts where space is at a premium

4

Interface

- ▶ Charging either via the supplied power pack or a USB interface

**GEDORE ESSENTIALS****LAMP LED
900 20**

The **GEDORE LED/UV 900 20 lamp** is for a variety of uses and impresses thanks to its extra functions and slim design.

It is continuously dimmable and switchable in blue-violet from LED to **UV light** (for tracking leaks e.g. in air-conditioners and heat pumps).



The **strong magnet** at the 45° adjustable foot allows the lamp to be fastened in any position on all ferro-magnetic bases. Moreover, a strong tip mini-magnet is for angling missing incidental parts at difficult-to-access spots.

Swing-out hooks on both sides facilitate handling at various points and during a two-handed operation.

Charging at a power socket or at any **USB interface** is made easy by the supplied power pack and cable.



NEW

900 20 LAMP LED LI-MH USB CHARGING CONNECTION

- ▶ Versatile deployable LED/UV lamp of a slim design with extra functions
- ▶ In particular for the automotive and industrial fields but also for a variety of uses in leisure-time pursuits
- ▶ Continuously dimmable and switchable in blue-violet from LED to UV light (for tracking leaks.g. in air-conditioners and heat pumps).
- ▶ Swing-out hooks on both sides, strong magnet at the 45° adjustable foot and strong tip mini-magnet for bringing up lost incidental parts where space is at a premium
- ▶ Charging either via the supplied power pack or a USB interface
- ▶ 620 lumen



100TH
ANNIVERSARY
1919 - 2019



Code	No.	W	D	H	
3108678	900 20	477	50	40	0.295

SB 6952-00 RESCUE KNIFE

- ▶ For assured cutting, severing and dissecting a wide range of materials
- ▶ High-grade, universal jack knife with extra belt cutter and glass shatterer
- ▶ All-purpose helper in the car, at home, in the garden and workshop
- ▶ Tempered blade with partial serration
- ▶ Black blade, blue handle protectors



Code	No.			
3100464	SB 6952-00	85	203	0.156

138-400 BENDING TOOL hexagon

- ▶ For levering, bending and centring components by hand
- ▶ Very robust design
- ▶ Evenly hardened and precision-tempered along the full length
- ▶ Chrome-vanadium steel 59CrV3, zinc-plated



Code	No.			
1396609	138-400	400	23	0.645

139-400 PRYBAR

- ▶ For levering, bending and centring components by hand
- ▶ Suitable for zinc-plated components
- ▶ Pry bar to conserve one's strength
- ▶ Very robust design
- ▶ Evenly hardened and precision-tempered along the full length
- ▶ Chrome-vanadium steel 31CrV3, zinc-plated



Code	No.	↳ mm ‹	Ø	kg
1396595	139-400	400	14	0.480

SB 407 HACKSAW

with bi-metal blade

- ▶ For severing metals and steel
- ▶ Diverse scope of use and robust metal hacksaw with adjustment arrangement
- ▶ To best serve the intended purpose, the saw blade can be used both vertically and at a 45° angle
- ▶ Practical, toolless saw blade clamping function
- ▶ Non-detachable clamping pins fix the saw blade
- ▶ The combination of lightweight aluminium bracket and a soft angled handle ensure ergonomic working and durability



Code	No.	Description	kg
3107477	SB 407	Hacksaw incl. - bi-metal blade	0.650

8728 KEY FILE SET

6 pieces

- ▶ For special filing work on metal
- ▶ Ideal in tool-making and moulding
- ▶ is made up of a flat, three-edged, square, half-round and round file
- ▶ Traditional wooden handle for a good feel to it
- ▶ In blue plastic wallet
- ▶ To DIN 7283



Code	No.	5 types	Cut	pieces	kg
6771910	8728		2	6	0.150

905 CREEPER

- ▶ The stable assembly/workshop roller board is a great help whenever work needs to be done lying down
- ▶ The 6 ball bearing-mounted 360° rollers and low constructional height of the workshop roller board means you can easily roll into those confined and difficult-to-access spots
- ▶ Suitable for repairs and servicing under any vehicle type without having to jack it up and under machines in industry, the automotive field, in agriculture and in the home
- ▶ Comfortable lying position thanks to the ergonomically shaped and pleasantly structured surface of the stable plastic structure
- ▶ High-grade and durable castors
- ▶ Practical tray and handle recesses
- ▶ The blow-moulding used in board surface production ensures impact resistance and durability
- ▶ The ergonomically shaped board surface prevents any back ache or muscle tensioning. The storage tray to the right and left ensures that tools are always to hand
- ▶ Load capacity 130 kg



Code	No.	L	W	H	
1823698	905	1000	480	115	5.0

641 CLAW GRIPPER

- ▶ Flexible, spring-operated claw gripper with three gripping jaws
- ▶ For controlled gripping and salvaging of components in difficult-to-access places
- ▶ Also for inserting split pins, pins etc. in difficult-to-access places
- ▶ Easy handling thanks to flexible shaft and spring-supported holding function
- ▶ Also gripping of non-magnetic parts



Code	No.	↳ mm ↳	∅	
6531520	641	540	0,28	0.103

640 MAGNETIC LIFTER

- ▶ For lifting and picking up small magnetic parts
- ▶ Easy handling from a flexible shaft
- ▶ Lifting force 5 N \pm 500 gr
- ▶ For picking up components in blind holes



Code	No.	↳ mm ↳	magnet ∅		Adhesive force N	
6531010	640-500	460	10.0	500	5	0.095

S 1504 EU (S 1500 ES-03)

Individual components at a glance

S 1500 ES-03

1500 ES-20



1/4" reversible ratchet No. 2093 U-10, 127 mm
 1/4" sliding T-bar No. 2087, 115 mm
 1/4" extension No. 2090-4, 97 mm
 1/4" universal joint No. 2095
 1/4" square plug-in handle No. 2098
 1/4" sockets No. 20, hex
 4 5 5.5 6 7 8 9 10 11 12 13 14 mm
 1/4" screwdriver bit sockets No.: IN 20, hex
 3 4 5 6 8 mm
 1/4" socket No. TX 20 outer TX
 E4 E5 E6 E7 E8 E10
 1/4" screwdriver bit sockets No.: ITX 20 recessed TX
 T8 T9 T10 T15 T20 T25 T27 T30 T40

1500 ES-1 B



Combination spanner set No. 1B,
 AF 6 7 8 9 10 11 12 13 14 15 16 17 18
 19 20 21 22 mm
 Hexagon socket key set No. PH 42-88, 6kt
 SW 2 2.5 3 4 5 6 8 10 mm

1500 ES-8000



Circlip pliers No. 8000 A for
 external retaining rings, straight, 10-25 19-60 mm
 Circlip pliers No. 8000 A 21 for
 external retaining rings, angled, 19-60 mm
 Circlip pliers No. 8000 J for
 internal retaining rings, straight, 12-25 19-60 mm
 Circlip pliers No. 8000 J 21 for
 internal retaining rings, angled, 19-60 mm

1500 ES-400



Double ended ring spanners open No. 400,
 8x10 10x11 12x14 13x15 17x19 mm

1500 ES-1993 U-20



1/2" reversible ratchet No. 1993 U-20, 270 mm
 1/2" sliding T-bar No. 1987, 292 mm
 1/2" universal joint No. 1995, 73.5 mm
 1/2" extension No. 1990, 125 250 mm

1500 ES-19 IS



1/2" socket No. 19, hex
 10 11 12 13 14 15 16 17 18 19 21 22
 23 24 25 26 27 28 30 32 mm
 1/2" screwdriver bit socket slotted
 No. IS 19, 10 12 mm
 1/2" screwdriver bit socket cross-slotted
 No. IKS 19, PH 2 3 4 mm
 1/2" screwdriver bit socket multi-point
 No. INX 19, XZN M8 M10 mm

1500 ES-6



6 double open-ended spanners 6x7 8x9 10x11
 12x13 14x15 16x17 18x19 20x22 21x23 24x27 mm

1500 ES-K 1900



K 19 impact socket 1/2" hex
 10 13 14 17 19 mm
 880 screwdriver bit 5/16" slotted 7 8 9 12 mm
 885 screwdriver bit 5/16" recessed hex 5 6 8 10 mm
 890 screwdriver bit 5/16" cross-slotted PH 1 2 3 4
 KB 819 adapter 5/16" hex dr. - 1/2" sq. dr.
 K 1900 impact driver 1/2

1500 ES-2163 TX



3C screwdriver No. 2163 TX, recessed TX T8
 T10 T15 T20 T25 T30

1500 ES-2150 PH



3C screwdriver slotted No. 2150 PH,
 4 5.5 6.5 8 mm
 3C screwdriver cross-slotted No. 2160 PH,
 PH 1, 2

1500 ES-350



Flat chisel No. 97-250, octagonal, 250x24 mm
 Cross-cut chisel No. 98-125, octagonal, 125x10x5 mm
 Drift punch No. 99 12-5, octagonal, 120x12x5 mm
 Centre punch No. 100-12, 120x12x5 mm
 Pin punch No. 119, 1.5 3 4 mm
 Engineers' hammer No. 600 H-300,
 ROTBAND-PLUS with hickory handle, 300 g

1500 ES-ITX 19 LKP



Screwdriver bit sockets 1/2" No. ITX 19
 recessed TX T20 T25 T27 T30 T40 T45 T50 T55 T60
 Screwdriver bit sockets 1/2" No. ITX 19 L,
 long recessed TX T20T20 T25 T27 T30 T40 T45 T50 T55 T60
 TX gauge No. 708

1500 ES-711



Thread file No. 140, for metric threads
 Steel tape No. 4534-5, 5 m
 TX gauge No. 708 E4-E16/T10-T60
 Digital measuring calliper No. 711 mm+inch in hard box
 Tweezers No. 720, angled tips, 150 mm
 Scriber No. 745 250 mm

1500 ES-34



Swivel head wrench double ended No. 34,
 UD profile 8x9 10x11 12x13 14x15 16x17 mm

S 1504 EU (S 1500 ES-03)

Individual components at a glance

1500 ES-IN 19 LKM



Screwdriver bit sockets 1/2" No. IN 19, recessed hex
5 6 7 8 9 10 12 14 17 mm

Screwdriver bit sockets 1/2" No. IN 19 L, 90mm
recessed hex 5 6 8 10 12 14 mm

1500 ES-7 R



7 R combination ratchet spanner UD profile
8 10 12 13 14 15 16 17 18 19 mm

1500 ES-DT 2142



Hexagon socket key No. DT 2142,
2CT-handle AF 2 2.5 3 4 5 6 7 8 10 mm

1500 ED-70 K



4 impact-resistant ABS distance modules

1500 ES-VDE 145



Universal pliers No. 142 10 C, 10", 15 settings
VDE Power combination pliers
No. VDE 8250-180 H, 180 mm, 2C handle
VDE Bent nose pliers No. VDE 8132-160 H,
160 mm, 2C handle
VDE Side cutter No. VDE 8314-160 H
160 mm 2C handle

1500 ES-VDE 2170 PZ



VDE Screwdriver slotted
No. VDE 2170, 4 5.5 6.5 8 mm
VDE Screwdriver cross-slotted
No. VDE 2160 PZ, PZ 1 2

1500 CTD-20 BIT



1/4" socket No. 20 L long hex
AF 4 4.5 5 6 7 8 9 10 12 13 mm
1/4" screwdriver bit slotted No. 680, 4 5.5 6.5 8 mm
1/4" screwdriver bit hex No. 685, AF 2.5 3 4 5 6 mm
1/4" screwdriver bit multi-point No. 685 X,
XZN M5 M6 M8
1/4" screwdriver bit TX No. 687,
TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40

1500 ES-2



Double ended ring spanners No. 2, 6x7 8x9
10x11 12x13 14x15 16x17 18x19 20x22 mm

1500 ES-2133



Socket key No. 2133 with
3K handle hex
5.5 6 7 8 9 10 mm

1500 ES-2 B



Double ring spanner short UD profile
6x7 8x9 10x11 12x13 14x15 17x19 mm

Tools for set supplementing purposes



Screw extractor
set No. 8551-55, M3-M18 5 pcs



Key file
set No. 8728, 6 pcs.



Grip wrench
No. 137
10, 10"



Adjustable wrench
No. 60
P 8"



Hexagon socket key
set XL No. H 42 KEL-88,
ball end in holder 8 pcs
2-10 mm



Hexagon socket key
set No. H 43 KTX-07, in
holder TX T10-T40 7 pcs



1940 high-speed swivel disk 1/2"



0513-09 cable knife
195mm



Voltage tester 220-250 V
No. 4615, 3 slotted 3 mm

TS-147 / TS-308

Individual components at a glance


TS CT2-D19-D20



1/4" reversible ratchet no. 2093 U-20, 127 mm
 1/4" universal extension no. 2090 KR-4, 97 mm
 1/4" sliding T-handle no. 2087, 115 mm
 1/4" socket no. D 20,
 4 5 5.5 6 7 8 9 10 11 12 13 mm
 1/4" socket no. TX 20, E4 E5 E6 E7 E8 E10
 ⊖ 1/4" screwdriver bit no. 680, 4 5.5 6.5 8 mm
 ● 1/4" screwdriver bit hex no. 685, 2.5 3 4 5 6 mm
 ● 1/4" screwdriver bit multipoint no. 685, M5 M6 M8
 ⊕ 1/4" screwdriver bit cross-head no. 690, PH1 2 3
 ⊕ 1/4" screwdriver bit cross-head no. 690 PZD, PZ1 2 3
 ⊕ 1/4" screwdriver bit TX no. 687, T6 T7 T8 T9 T10
 T15 T20 T25 T27 T30 T40

Bit holder no. 673 6.3, 1/4" hex - 1/4" square
 Bit adapter no. 620, 1/4" hex - 1/4" square
 Driving handle no. 676, 1/4"
 Bit holder no. 699, 1/4" hex
 1/2" reversible ratchet no. 1993 U-20, 270 mm
 1/2" socket extension
 no. 1990-2.1/2, 63 mm
 1/2" universal extension no. 1990 KR-5 -10, 125 + 250 mm
 1/2" socket no. D 19, 10 11 12 13 14 15 16 17
 18 19 21 22 24 27 30 32 mm
 ● 1/2" screwdriver bit socket no. IN 19,
 5 6 7 8 9 10 12 14 mm

TS CT2-7



Combination spanner no. 7, 8 9 10 11
 12 13 14 15 16 17 18 19 20 21 22 24 mm
 ● Hexagon socket key set no. PH 42-88,
 hex in holder 2 2.5 3 4 5 6 8 10 mm

TS CT2-2154SK-119



⊖ 3C screwdriver slotted no. 2154SK,
 with striking cap 3.5 5.5 6.5 8 mm
 ⊕ 3C screwdriver no. PH1 PH2
 Engineers' hammer no. 4 E-500, with ash handle, 500 g
 Centre punch no. 100-12, 120x12x5 mm
 Pin punch no. 119, 1.5 3 4 mm
 Flat chisel no. 97-250 octagonal, 250x24 mm
 Cross-cut chisel no. 98-125 octagonal, 125x10x5 mm
 Drift punch no. 99 12-5 octagonal, 120x12x5 mm

TS CT2-142




Universal pliers no. 142 10 GPK 10" 15 settings
 Power combination pliers no. 8250-180 JC,
 180 mm 2C handle
 Multiple pliers no. 8133-200 JC, 200 mm 2C handle
 Power side cutter no. 8316-180 JC,
 180 mm 2C handle
 Twist drill Ø 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5
 7 7.5 8 8.5 9 9.5 10 10.5 / Ø 3.3 4.2 6.8 10.2

TS CT2-6-8000



Double open ended spanner no. 6, 6x7 8x9 10x11 12x13 14x15
 16x17 18x19 20x22 24x27 mm
 Pliers for external retaining rings no. 8000 AE 1, straight, 10-25 mm
 Pliers for external retaining rings no. 8000 AE 2, straight, 19-60 mm
 Pliers for external retaining rings no. 8000 A 21, angled, 19-60 mm
 Pliers for internal retaining rings no. 8000 J 1, straight, 10-25 mm
 Pliers for internal retaining rings no. 8000 J 2, straight, 19-60 mm
 Pliers for internal retaining rings no. 8000 J 21, angled, 19-60 mm

TS CT2-ITX19



● 1/2" screwdriver bit socket multipoint no. INX 19,
 XZN M6 M8 M10 M12
 1/2" screwdriver bit socket hex no. IN 19 L,
 5 6 8 10 12 14 mm
 1/2" screwdriver bit socket TX no. ITX 19,
 T20 T25 T27 T30 T40 T45 T50 T55 T60
 1/2" screwdriver bit socket TX no. ITX 19 L,
 T20 T25 T27 T30 T40 T45 T50 T55 T60

TS-308

Individual components at a glance

TS CT2-710



Recoilless hammer no. 248 ST-40, Ø 40 mm
Screw extractor set no. 8551-55,
M3-M18 5 pcs.
Feeler gauge set no. 702 20 M, 0.05-1.00 mm
Socket file set no. 8728, 6 pcs.
Gasket scraper no. 133 K, 240 mm
Pocket knife scraper no. 710
Cable knife no. 0063-08, 200 mm
Wire brush no. 646, 6-row

TS CT2-2133-2163TX




3C screwdriver TX no. 2163 TX,
T10 T15 T20 T25 T30 T40
Socket wrench with 3C handle no. 2133,
hex, 5.5 6 7 8 9 10 mm
Locking plier no. 137 10, 10"

TS CT2-7R-2



Combination ratchet spanner no. 7 R,
8 10 12 13 14 15 16 17 18 19 mm
Double ended ring spanner no. 2, 6x7 8x9 10x11
12x13 14x15 16x17 18x19 20x22 mm
Hexagon socket key set TX no. H 43 TX-09,
in holder T7-T40, T7 T8 T9 T10 T15 T20 T25 T30 T40
Steel tape measure no. 4534-5, tape L. 5 m
Hacksaw no. 407

TS CT2-D30



Double ended ring spanner open no. 400,
8x10 10x11 12x14 13x15 17x19 mm
1/2" impact socket bit with protective sleeve
no. K 19 LS, 17 19 21 mm
1/2" impact driver no. K 1900
Connecting piece no. KB 819 hex 5/16" x 1/2" square
Screwdriver bit slotted no. 880, 7 8 9 12 mm
Screwdriver bit hex no. 885, 5 6 8 10
Screwdriver bit cross-head no. 890,
PH 1 2 3 4

3/8" reversible ratchet no. 3093 U-20, 200 mm
3/8" universal extension no. 3090 KR -5 -10, 125 + 250 mm
3/8" socket hex no. D 30, 6 7 8 9 10 11 12
13 14 15 16 17 18 19 20 21 22 24 mm
3/8" screwdriver bit socket hex no. IN 30,
5 6 7 8 10 mm
3/8" screwdriver bit socket multipoint, no. INX 30,
XZN M5 M6 M8 M10
3/8" screwdriver bit socket TX no. ITX 30,
T20 T25 T27 T30 T40 T45 T50

TS-308

TS 308 (308 pieces)

TS-177

Individual components at a glance

LIMITED EDITION

TS-177 Modul 1



1/2" Reversible ratchet No. 1993 U-20
1/2" Extension No. 1990-3 -5 -10
1/2" Socket No. D 19, SW 10 12 13 15 16 17 18
19 22 24 27 30 32 mm
1/2" Screwdriver bit socket hexagonal No. IN 19,
SW 5 6 7 8 9 10 12 14 17 19 mm
1/2" Extension with magnet No 1990 M
Combination spanner No. 1 B, SW 8 10 11 12 13 14 15
16 17 18 19 21 22 24 27 30 32 mm
Bit box with ratchet 1/4" No. 666-U-20

TS-177 Modul 2



Hexagon socket key set No. H 42-10, 10 pieces
Torsions bit set No. 666-042, 42 pieces
3K screwdriver slotted No. 2150 PH, 4 5.5 6.5 8 mm
3K screwdriver cross-slotted No. 2160 PH, PH 1, 2
Universal pliers No. 142 10 TL
Multiple pliers No. 8133-200 JC
Side cutter No. 8314-180 JC
Voltage tester No. 4615 3
Engineers' hammer No. 4 E-500
Twist drill bit set No. 8550-024, 24 pieces
Pin punch set No. 316 D, 6 pieces

TS-177

TS-177 (177 pieces)

GEDORE

TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheid-er Straße 149
42899 Remscheid - GERMANY
Tel. + 49 (0) 21 91-596 - 0
Fax + 49 (0) 21 91-596 - 230
info@gedore.com
www.gedore.com

Vertrieb Deutschland
Tel. + 49 (0) 21 91-596 - 900
Fax + 49 (0) 21 91-596 - 999
Sales International
Tel. + 49 (0) 21 91-596 - 910
Fax + 49 (0) 21 91-596 - 911

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen - GERMANY
Tel. +49 711 83223-0
Fax +49 711 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz - GERMANY
Tel. +49 7042 9441-0
Fax +49 7042 9441-41
info@loesomat.de

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. - AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz
01015 Vitoria Alava - SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

GEDORE UK Limited

Marion Street, SKIPTON BD23 1TF
North Yorkshire - UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
Fax +44 (0) 1756 / 79 80 83
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pointoise Cedex - FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn - NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
technag@gedore.nl
www.gedore.nl

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów - POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro
Vicentina | Vicentina
São Leopoldo - RS | 93025-340 - BRAZIL
Tel. +55 51-35 89 9200
Fax + 55 51-35 89 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS, INC.

7187 Bryhawke Circle, Suite 700
NORTH CHARLESTON,
SC 29418 - USA
Tel. +1-843/225 50 15
Fax +1-843/225 50 20
info@gedoretools.com
www.gedoretools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/E, Block 2, 1358 Pingan Road,
Minhang, Shanghai - CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
general@gedoresa.co.za
www.gedore.co.za

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon - 122051
Haryana - INDIA
Tel. +91 (0) 124 22910 - 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE TOOLS MIDDLE EAST FZE

P.O. Box 372042
West Wing 5B, Office #440
Dubai Airport Free Zone
Dubai - U.A.E
Tel. +971 4 236 4606
info@gedore.ae

GEDORE TOOL CENTER OOO

4.-ya Magistralnaja H11/1
123007 Moscow - RUSSIA
Tel. 8 800 100 58 96 (free from Russia)
Tel. +7 (499) 754 7000
Fax +7 (8) 985 22 99 88 0
sales@gedoretools.ru

Brands of the GEDORE Group

gedore.com · ochsenkopf.com

gedore.com

Your dealer:

100TH
ANNIVERSARY
1919 - 2019

Special net prices per pc./set, plus VAT Delivery without decoration.
Technical specifications subject to modifications.No liability for printing errors.
Prices exclude VAT / for resellers only. Please ask your local dealer.

Valid from 01/06/2019 until 31/03/2020