





R0910 XXXX **COMBINATION SPANNER SET**

- metric
 - from €35,20



- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Jaw set at 15°
- > In holder





Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg	excl. VAT
3300989	R09105010	8 10 11 12 13 14 15 17 19 22 mm	265	185	46	10	1.366	35,20
3300993	R09105015	6 7 8 10 11 12 13 14 17 19 22 24 27 30 32 mm	365	275	70	15	3.1	66,46

R0510 5012 DOUBLE **OPEN ENDED SPANNER SET**

long, metric, 12 pieces





- > Acc. to DIN 3110, ISO 3318, ISO 1085, ISO 10102
- > Jaw set at 15°
- > In holder



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3300960	R05105012	Double open-end wrench 6x7 8x9 10x11 12x13 14x15 16x17 18x19	300	180	66	12	2.42

R0512 6008

DOUBLE OPEN ENDED SPANNER SET

in wallet, metric, 8 pieces





- > Acc. to DIN 895, ISO 3318, ISO 1085
- > Jaw set at 15°
- > In practical roll-wallet





Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3301081	R05126008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	235	60	60	8	0.64



- > In accordance with DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > 72 teeth Ratchet mechanism
- > In holder









Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3300872	R07205005	8 10 13 17 19 mm	245	180	35	5	0.688







R0740 5006 **DOUBLE RING RATCHET** SPANNER SET

straight, metric, 6 pieces





- > In accordance with DIN 837
- > Straight pattern
- > 72 teeth Ratchet mechanism
- > In holder



Code 3300898

No. R07405006 Contents

8x9 10x11 12x13 14x15 16x18 17x19 mm

Pieces 6

Weight kg 0.865

R0750 1019 DOUBLE RING RATCHET SPANNER 4in1

> The four most common wrench sizes, covered by just one tool

- > Straight pattern
- > With lever change









Weight kg

Code 3300899

R07501019

R0590 5004

Width across flats mm 10 x 13 x 17 x 19

Length mm

210

> In accordance with DIN 3113, ISO 3318

> Open end with ratchet function

> Jaw set at 15°

> Ring side open, offset to 15°

- > Matt satin chrome-plated finish
- > Chrome-vanadium steel
- > In holder



Code No. Contents Pieces Weight kg 3300032 R05905004 10 13 17 19 mm

WELL EQUIPPED ON THE GO

The 1/4" bit set R33003032 is perfect for the smallest screwdriving jobs in mobile

The 32-piece **GEDORE red bit set R33003032** includes an extensive selection of bits for the smallest screw connections in the 1/4" range.

The screwdriver with its strong magnet is used to securely fix the bits and enables quick and easy bit replacement.

The quick-change adapter also enables use with a cordless Power tool. The set is safely stored in our robust case from **GEDORE red**.

With its wide range of possible uses and practical storage, it is the perfect companion for on the go applications.



Bit set 1/4" R33003032

1

FAST BIT CHANGE

 The quick-change adapter makes changing bits very smooth. In addition, it is suitable for both manual and machine-operated work

2

SECURE STORAGE

 The tools are safely stored in a robust carrying case. Due to its low weight and its handiness, it is ideal for mobile use



COMFORTABLE WORKING

 The ergonomic handle of the screwdriver ensures fatigue-free work. The bits are prevented from falling out by the magnetic bit screwdriver and ensure relaxed work



"With the 32-piece bit set, you are optimally equipped to work on all kinds of small screw connections when you are on the move."





R3300 3032 BIT SET 1/4" 32 pieces



Slot 4.5 5.5 6.5 TX T10 T15 T20 T25 T30 T40 Inside hexagon 456 mm



- > Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip
- > Quick-change adapter enables quick bit changes

 > Suitable for hand and machine
- operated work
- > Storage in robust BMC









Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3301348	R33003032	1/4" Magnetic Bit Screwdriver 1/4" quick change adapter 1/4" bits, 25mm: PH1 (3x), PH2 (3x), PH3 (3x) PZ1 (3x), PZ2 (3x), PZ3 (3x)	190	52	110	32	0,48

THE ALTERNATIVE FOR CRAMPED FASTENER SITUATIONS

With the included ratchet, the 40-piece bit set offers the ideal solution when things need to be done quickly or there is not enough space for the screwdriver.

The 40-piece GEDORE red bit set R33003040 includes an extensive selection of bits and sockets for a variety of screw applications in the 1/4" area. The included bit screwdriver with its strong magnet is used to securely fix the bits and enables quick and easy bit replacement. If there is not enough space or the tightening has to be done more quickly, the high-quality reversible ratchet with its small return angle of 5° shows its strengths. The included bit adapter enables bits to be used in conjunction with the reversible ratchet and thus provides a smart alternative in use. The quickchange adapter also enables use with a cordless Power tools. Safely housed in the robust transport case from **GEDORE red**, everything is easily stored away and ideal for mobile use.



Bit set 1/4" R33003040

SMART ALTERNATIVE

 The bit adapter enables the bits to be driven with the reversible ratchet



COMFORTABLE WORKING

 The ergonomic handle of the screwdriver ensures fatigue-free work. The bits are prevented from falling out by the magnetic bit screwdriver and thus ensure relaxed work.



PRECISE IN USE

 The high-quality, fine-toothed lever reversible ratchet with a 5° return angle ensures precise and smooth screw tightening



"Thanks to the well-assorted selection and the ratchet as an alternative, you are always well served on the go and in the workshop with the 40-piece bit set."



NEW

R3300 3040 **BIT SET 1/4**" 40 pieces



1/4" adapter 4kt x 6kt

- > Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip

 > Reversible ratchet with 2C handle and 5° return angle as
- well as switch lever for easy change of direction
- > Bit adapter enables alternative drive of the bits with the reversible ratchet
- > Quick-change adapter enables quick bit changes
- > Sockets with non-slip longitudinal knurling
- > Storage in robust BMC











Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3301349	R33003040	1/4" sockets 5.5 6 7 8 10 12 13 mm 1/4" reversible ratchet	230	52	130	40	0,8

1/4" magnetic bit screwdriver
1/4" quick change adapter
1/4" bits, 25mm:
PH1 (2x), PH2 (3x), PH3 (1x)
PZ1 (1x), PZ2 (3x), PZ3 (1x)
Slot 5.5mm
Inside hexagon 3 4 5 6 8 mm
TXT10T15T20T25T30T40
TXT10HT15HT20HT25HT30H
Bit adapter 1/4" square x 1/4" hex

CAN'T BE BEATEN
IN LENGTH

With the practical 1/4" bit set, even low-lying screw applications are no longer a problem.

The 51-piece bit set R33003051 from **GEDORE red** is particularly suitable for hard-to-reach screw connections thanks to the long bits and its extension. In connection with the lever reversible ratchet, even deep-lying screw jobs can be loosened or tightened in no time at all. The high-quality reversible ratchet with its return swivel angle of 5° is the ideal drive, even when things get a little tight. The included bit adapter enables bits to be used in conjunction with the reversible ratchet and thus provides a smart alternative in use. Safely housed in the robust transport case from **GEDORE red**, everything is well stowed away and also ready for mobile use.



Bit set 1/4" R33003051

1

PRECISE IN USE

 The high-quality, fine-toothed lever reversible ratchet with a 5° return angle ensures precise and smooth screw tightening

2

SOLUTION FOR DEEP-SET SCREWS

• Thanks to the long bits and the extension, deep-seated screws are also easy to reach



SMART ALTERNATIVE

• The bit adapter enables the bits to be driven with the reversible ratchet



"The 51-piece bit set also solves deepseated screwdriving problems."



NEW

R3300 3051 BIT SET 1/4" 51 pieces



- > Long bits
- > Reversible ratchet with 2C handle and 5° return angle as well as switch lever for easy change of direction
- > Bit adapter enables alternative drive of the bits with the reversible ratchet
- > Sockets with non-slip longitudinal knurling
- > Storage in robust BMC



















0	

Code	No.	Contents
3301350	R33003051	1/4" sockets 4 5 5.5 6 7 8 9 10 11 12 13 14 mm 1/4" reversible ratchet 1/4" extension 100mm 1/4" adapter 4kt x 6kt 1/4" bits 25mm: PH1 (1x), PH2 (2x), PH3 (1x) PZ1 (1x), PZ2 (2x), PZ3 (1x) Slot 4 4.5 6.5mm TX T10 T15 T20 T25 T27 T30 T40 Inside hexagon 2 3 4 5 6 mm Bit adapter 1/4" square x 1/4" hex 1/4" bits 90mm: PH1 (1x), PH2 (1x) TX T20 T25 T30 Inside hexagon 3 4 5 6 mm

Slot 5.5mm

Width mm	Height mm	Depth mm	Pieces	Weight kg
230	52	130	51	0,98

THE VERSATILE

With its variety of tools, the 1/4" bit set is optimally designed for work in the smallest of spaces.

The 67-piece **GEDORE red bit set R33003067** is set up for any screw connections in the ¼" area thanks to its versatile contents. Even deep-set screws are no longer a problem thanks to the long

bits. The bit screwdriver with its

ergonomic handle and a strong magnet to fix the bits replaces a large number of screwdrivers. The offset screwdrivers are a practical supplement in use. The quick-change adapter also enables use with a cordless screwdriver. Safely housed in the robust transport case from **GEDORE red**, everything is well stowed away and also ready for mobile use.



Bit set 1/4" R33003067

1

FAST BIT CHANGE

 The quick-change adapter makes changing bits child's play. In addition, it is suitable for both manual and machine-operated work

2

COMFORTABLE WORKING

 The ergonomic handle of the screwdriver ensures fatigue-free work. The bits are prevented from falling out by the magnetic bit screwdriver and thus ensure relaxed work

3

SOLUTION FOR DEEP-SET SCREWS

• Thanks to the long bits and the extension, deep-seated screws are also easy to reach



"With its variety, the 67-piece bit set is a good choice for a wide range of applications and a top alternative to the screwdriver set."



R3300 3067 BIT SET 1/4" 67 pieces





- Long bits
 Screwdriver with strong magnet for quick and easy bit replacement and ergonomic grip
 Quick-change adapter enables quick bit changes
 Storage in robust BMC













Code	No.	Contents
3301352	R33003067	Offset screwdriver set 1.5, 2, 2.5, 3, 4, 5, 6 mm
		1/4" magnetic bit screwdriver
		1/4" quick change adapter
		1/4" bits, 25mm:
		PH1 (3x), PH2 (2x), PH3 (1x)
		PZ1 (3x), PZ2 (2x), PZ3 (1x)
		Slot 4, 4.5, 5.5, 6.5mm
		TX T6, T7, T8, T9, T10, T10, T15, T15, T20, T20, T25, T25, T27, T30, T30, T40, T40
		TX T10H, T15H, T20H, T25H, T27H, T30H, T40H
		Inside hexagon 2, 3, 4, 5, 6 mm
		Bit adapter 1/4" square x 1/4" hex
		1/4" bits, 90mm:
		PH1 (1x), PH2 (1x)
		PZ1 (1x), PZ2 (1x)
		TX T20, T25, T30
		Inside hexagon 3, 4, 5, 6 mm
		Slot 5.5mm

Width mm	Height mm	Depth mm	Pieces	Weight kg
300	52	180	67	1,1

R3300 5014 BIT BOX 1/4" 14 pieces





- > Bit box with the common bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated













Code 3301347 No. R33005014 Contents

1/4" hexagon 3 4 5 mm 1/4" slot 4 5 6 mm

1/4" cross recess PH 1 2 3 1/4" TX T10 T15 T20 T25

Bit holder 1/4" hex x 1/4" hex, with magnet

Width mm 105

Height mm 30

Depth mm 60

Pieces 14

Weight kg

0.1

R3300 5007 BIT BOX 1/4" 7 pieces





- > Bit box with the common bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated









Code 3301345

R33005007

No.

Contents

1/4" slot 4 5 6 mm 1/4" cross recess PH 1 2 3

Bit holder 1/4" hex x 1/4" hex, with magnet

Width mm 105

Height mm 30

Depth mm 60

Pieces Weight kg 0.08

R3300 5009 BIT BOX 1/4" 9 pieces





- > Bit box with the common bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated









Code 3301346

R33005009

Contents

1/4" Slot 4 5 6mm 1/4"PH 1 2

Bit holder 1/4" hex x 1/4" hex, with magnet

Width mm

Height mm

Depth mm

Pieces

0.086

Weight kg 1/4" internal hexagon SW 3 4 5 mm 105 30 60

R3500 3040 BIT SET TX / XZN / SK 40 pieces





- > Reinforced bits, 10 mm
- > Hand-operated
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 10
- > In rugged plastic case











Code	No.	Contents	Width	Height	Depth	Pieces	Weight kg
			mm	mm	mm		
3301572	R35003040	Internal hexagon bit 4 5 6 8 10 12 30 mm, Internal hexagon bit 4 5 6 8 10 12 75 mm	335	50	195	40	1.75
		TX bit T20 T25 T30 T40 T45 T50 T55 30 mm, TX bit T20 T25 T30 T40 T45 T50 T55 75 mm					
		XZN bit M5 M6 M8 M10 M12 30 mm, XZN bit M5 M6 M8 M10 M12 75 mm					
		Bit adapter inside square drive 1/2" on inside hexagon socket 10mm					
		Bit adapter inside square drive 3/8" on inside hexagon socket 10mm					

R3300 5031 **BIT BOX 1/4**" 32 pieces



Bit adaptor 1/4" hex x 1/4" square



- > Bits: Hardness: 60 HRC +/- 2, torque: 18.4 Nm
- > Drive adaptor with magnetic bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 C 6.3
- > Machine-operated
- > Box with clear cover













Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3301338	R33005031	1/4" hexagon 3 4 5, 1/4" slotted 0.6x4.5 1.0x5.5 1.2x6.5 2x 1/4" cross-head PH 1 2 3, 2x 1/4" cross-head PZ 1 2 3 2x TX T10 T15 T20 T25 T30 T40, Quick change adaptor for 1/4" bits C 6.3 with magnet	110	40	70	32	0.25

R4900 3046 **SOCKET SET 1/4**" 46 pieces





- > For hand-operated applications
- > Plastic case in GEDORE red Design





Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300052	R49003046	1/4" 2C reversible lever ratchet fine-toothed, 72 teeth 150 mm 1/4" square socket 165 mm, 1/4" socket hexagon 4 4.5 5,5 6 7 8 9 10 11 12 13 14 25 mm 1/4" screwdriver bit socket hexagon socket inner 3 4 5 6 7 8 37 mm 1/4" screwdriver bit socket 9 hillips PH 1 2 3 37 mm 1/4" Screwdriver bit socket Phillips PH 1 2 3 37 mm 1/4" Screwdriver bit socket Phillips PZ 1 2 37 mm 1/4" Screwdriver bit socket TXT10 T15 T20 T25 T27 T30 T40 37 mm 1/4" Socket wrench extension 50 100 mm, 1/4" Flexible socket wrench extension 150 mm 1/4" Cross handle with slide 115 mm, 1/4" Cardan joint 32 mm Bit-Adapter 1/4" square x 1/4" hexagon 25 mm Allen wrench set hexagon 1.27 1.5 2 2.5 mm	298	54	185	46	1.414

R5900 3026 **SOCKET SET 3/8**" 26 pieces

€**60**, +VAT



- > For hand-operated applications
- > Plastic case in GEDORE red Design

















Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300053	R59003026	3/8" 2C lever reversible ratchet fine-toothed, 72 teeth 180 mm 3/8" socket wrench insert bi-hex 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" spark plug insert 16 21 mm 65 mm	302	54	185	26	2.44

3/8" socket wrench extension 75 150 mm, 3/8" cross handle with sliding piece 200 mm

3/8" Cardan joint 48 mm, Reducer 3/8" - 1/4" | 27 mm


R6900 3069

€178⁹⁹, •var

SOCKET WRENCH SET 1/2"

SERVICE

69 pieces



- > For hand-operated applications
- > Plastic case in **GEDORE** red Design

















		Security Sec					
Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300191	R69003069	1/2" 2K lever reversible ratchet, fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 21 22 24 38 mm 1/2" socket wrench insert hexagon SW 10 13 17 19 77mm 1/2" socket wrench extension 125 250 mm, 1/2" universal joint 66 mm Enlargement piece 3/8 x 1/2 square 44mm Double ring ratchet wrench SW 10x13 17x19 Combination wrench SW 67 8 9 10 11 12 13 14 15 16 17 18 19 21 Allen key set, hexagon socket SW 1.5 2 2.5 3 4 5 6 8 10 Offset screwdriver set TX T10 T15 T20 T25 T27 T30 T40 T45 T50 Slotted screwdriver 3 4 5.5 6.5, Slotted screwdriver with impact cap 6.5 Screwdriver Phillips PH 1 2, Phase tester slot 120-250 V	552	100	360	69	9.9

Combination pliers 180 mm, Water pump pliers 10", Machinist's hammer 300 g

R6900 3061

SOCKET WRENCH SET 1/2" AUTO-UNIVERSAL

61 pieces

- > For hand-operated applications
- > Plastic case in GEDORE red Design





Code	No.	Contents
3300370	R69003061	R6100xxxx Socket 1/2" hexagon 8 9 10 11 12 13 14 15 16 17 19 21 22 24 mm R6000027 2K reversible ratchet 1/2" L. 250 mm RSW 5° R65300012 Universal joint 1/2" L. 66 mm R6102xxxx Spark plug socket 1/2" 16 18 21 mm R651000xx Socket extension 1/2" L. 125 250 mm R5730008 Extension piece 3/8" x 1/2 square L.44 mm R28100010 Water pump pliers 10" 7-fold R28302180 Combination pliers L. 180 mm 2K handle R36605008 Hex key set 1.5-8 mm 8 pcs. R36405008 Offset screwdriver set TXT9-40 8 pcs. R92100020 Machinist's hammer 500 g L. 320 mm ash R0910xxxx combination wrenches 6 7 8 9 10 11 12 13 14 15 16 17 18 19 mm R38100315 2K screwdriver slotted 3 mm 0.5x75 mm, 5.5 mm 1x100 mm, 8 mm 1.2x100 mm R38200115 2K screwdriver PH1 L. 80 mm, PH2 L. 100 mm R38120001 MOTOR VEHICLE voltage tester 3-48 V

 Width mm
 Height mm
 Depth mm
 Pieces
 Weight kg med

 452
 86
 340
 61
 7.14

R6100 3114 SOCKET SET 1/2" long, 14 pieces



- > For hand-operated applications
- > Plastic case in GEDORE red Design





Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300008	R61003114	10 12 13 14 15 17 19 21 22 23 24 27 30 32 77 mm	272	80	383	14	3.746

> Plastic case in GEDORE red Design

16 pieces









Code	No.	Contents	Width	Height	Depth	Pieces	Weight kg
			mm	mm	mm		
3300009	R68003016	Socket wrench insert TX E10 E11 E12 E14 E16 E18 E20 E22 E24	300	52	180	16	1.69
		Screwdriver bit socket TX T30 T40 T45 T50 T55 T60 T70					

R6800 3020 SOCKET SET 3/8" + 1/2"

Reducer 1/2" square x 3/8" square

20 pieces

- > For hand-operated applications
- > Plastic case in GEDORE red Design



Code	No.	Contents	Width	Height	Depth	Pieces	Weight kg
			mm	mm	mm		
3300045	R68003020	3/8" socket wrench insert TX E6 E7 E8 E10 3/8" screwdriver bit socket TX T10 T15 T20 T25 T27 1/2" socket wrench insert TX E12 E14 E16 E18 E20 1/2" screwdriver bit socket TX T30 T40 T45 T50 T55	180	52	300	20	2

R6901 3024 SOCKET SET 1/2" bi-hex, 24 pieces



- > For hand-operated screw work
- > Plastic case in **GEDORE** red Design







24



Code 3300056

No. R69013024 Contents

1/2" 2C Lever reversible ratchet fine toothed, 72 teeth | 250 mm 1/2" Socket wrench insert 12-point

SW 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32

1/2" Socket wrench extension 125 250 mm Enlarging/sliding piece 3/8" x 1/2" | 44 mm Width mm 385

Height mm

Depth mm 280

Pieces

Weight kg

4.75

R63043003 **IMPACT SOCKET** SET 1/2" 3 pieces





- > Specially for fitting / removing wheels of vehicles
- > Plastic sleeves
- > Square drive as per DIN 3121 G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case





3



Code 3300578

R63043003

Impact screwdriver socket 17 19 21 mm | 86mm

Width mm 155

Height mm 52

135

Depth mm

Pieces

Weight kg

0.83

R6300 3012 **IMPACT WRENCH** SOCKET SET 1/2" 12 pieces





- > Square drive as per DIN 3121 G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > Plastic case in GEDORE red Design





Code 3300574

No. R63003012

Contents

10 11 12 13 14 15 16 17 19 21 22 24 mm

Width mm

Height mm

Depth mm 185

Pieces Weight kg 1.598

R7800 4014 SOCKET SET 3/4" 14 pieces



- > For hand-operated applications
- > Plastic case in **GEDORE** red Design









€244,54

Contents

3/4" Reversible ratchet, coarse toothing, 24 teeth | 510 mm

3/4" Hexagon socket wrench insert 22 24 27 30 32 36 38 41 46 50 mm

3/4" Socket wrench extensions 200 400 mm

3/4" Cross handle with sliding piece | 460 mm

Width mm Height mm Depth mm **Pieces** Weight kg 548 105 105 14

R4600 3092 **SOCKET SET** 1/4" + 1/2"

No.

R78004014

92 pieces

Code

3300011



- > For hand-operated applications
- > Plastic case in GEDORE red Design




c. I.	M.	Contracts
Code	No.	Contents
3300062	R46003092	1/4" 2C lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket wrench insert hexagon 4 5 6 7 8 9 10 11 12 13 mm 50 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece 115 mm, 1/4" universal joint 32 mm Bit holder 1/4" hexagonal x 1/4" hexagonal, with magnet 60 mm Bit adaptor 1/4" square x 1/4" hexagon 25 mm Drive adaptor 1/4" hexagon x square with ball lock 25 mm 1/4" bits inner hexagon 3 4 5 6 8 10 25 mm, 1/4" bits slot 4 5.5 7 25 mm 1/4" bits cross recess PH 0 1 2 3 4 25 mm, 1/4" bits cross recess PZ 1 2 3 25 mm 1/4" bits TXT8 T10 T15 T20 T25 T27 T30 T40 25 mm, 5/16" bits TXT45 T50 T55 30 mm 1/2" 2C lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon 10 11 12 13 14 15 17 19 22 24 27 30 32 mm 1/2" spark plug insert 21 mm (13/16") 65 mm, 1/2" socket wrench extension 125 250 mm 1/2" universal joint 65 mm, Enlarging/sliding piece 3/8" x 1/2" 44 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm Double-jointed key 8x9 10x11 12x13 14x15 mm Combination wrench 8 10 12 13 14 17 mm, Hexagon Key Wrenches, hexagon 1.5 2 2.5 mm

Width mm	Height mm	Depth mm	Pieces	Weight kg
383	83	280	92	5.85

GEDORE red Design

R4600 3097 **SOCKET SET** 1/4"+1/2" 97 pieces


















Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300186	R46003097	1/4" 2K lever reversible ratchet L 150 mm 1/4" square handle L 165 mm 1/4" socket, hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" T-handle with slider L 115 mm 1/4" socket wrench extension L 50 100 mm 1/4" universal joint L 33 mm 1/2" 2K reversible ratchet L 250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 24 38 mm 27 30 32 42 mm 1/2" socket wrench extension L 125 250 mm 1/2" universal joint L 66 mm Magnification Adapter/Slider 3/8" x 1/2" 1/4" bit adapter 1/2" bit adapter 1/4" bits, L25mmm, hexagon socket 2 3 4 5 5.5 6 mm, slot 4 5.5 6 mm, PH 1 2 3, PZ 1 2 3, TX T10 T15 T20 T25 T27 T30 T40, TXB T10 T15 T20 T25 T27 T30 T40 5/16" bits L30mm, internal hexagon 8 10 12 14 mm, slot 8 10 12 mm, PH 3 4, PZ 3 4, TX T40 T45 T50 T55 Combination ratchet wrench SW 10 13 17 19 mm 2-component handle Maximus, 5/16" shank with bit double blade PH 1 2, bit double blade 5.5 6.5 mm, bit adapter 8mm (5/16") x 1/4" Adjustable wrench, adjustable 30 mm, L 250 mm	452	86	340	97	8.9

R4600 3232 SOCKET SET 1/4"+1/2"

232 pieces





Pieces

232

Weight kg

8.9

Width

mm

452

Height

mm

86

Depth


mm

340

Code	No.	Contents
3300185	R46003232	2K reversible ratchet 1/4" length 150 mm Return angle 5° 2K reversible ratchet 1/2" length 250 mm Return angle 5° 1/4" sockets SW 44.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/2" sockets SW 15 16 17 19 20 21 22 24 38 mm 1/2" sockets SW 27 30 32 42 mm 1/4" T-handle with slider 1/4" socket wrench extension 50 100 mm 1/2" socket wrench extension 125 - 250 mm 1/4" universal joint length 33 mm 1/2" cardan joint length 66 mm 1/4" square socket handle 165 mm 1/4" sockets TX E4 E5 E6 E7 E8 25 mm 1/2" Sockets TX E10 E11 E12 E14 E16 E18 E20 38mm, E22 L 40mm, E24 L41mm Magnification Adapter/Slider 3/8" x 1/2" 1/2" bit adapter square x 5/16" hexagon 1/4" bit screwdriver L 100 mm 1/4" bit screwdriver L 100 mm 1/4" bits 25 mm long: Hexagon socket 3 4 5 6, PH 5x 0 1 2 3 each, PZ 2x 0 1 each 3x 2 3, TX T8 T9 T10 T15 T20 T25 T27 T30 TXB T40 T9 T10 T15 T20 T25 T27 T30 T40 Spanner 5 6 8 XZN 4 6 8 TRI-WING 1 2 3 Torque 6 8 10 1/4" bits hex 38 mm long 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" bit holder 60+80+120mm 30-piece bit box with 1/4" bits, 25 mm long: internal hexagon 2 3 4 5 5.5 6 mm, slot 4 5.5 6 mm, PH 1 2 3, PZ 1 2 3, TX T10 T15 5 xT20 4xT25 4xT27 T30 T40, TXB T10 T15 T20 T25 T27 T30 T40 5/16" bits 30 mm long: slotted 6 6.5 8, PH 1 2 2x3 4 each, PZ 1 2 2x3 4 each, TX T25 T27 T30 T40 T45 T50, TXB T 25 T27 T30 T40 T5 T45 Combination wrench SW 6 8 10 11 12 13 14 15 16 17 18 19 mm
		Allen key Allen key 1.5 2 2.5 3 4 5 6 8 mm Angle Screwdriver TX T9 T10 T15 T20 T25 T27 T30 T40 Insert holder 1/4" square x 1/4" hex length 25mm
		· · · · · · · · · · · · · · · · · · ·

R4560 3172 SOCKET SET 1/2"-3/8"-1/4"

172 pieces





Code No. Contents Width Heig		Pieces
1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth 150 mm 1/4" 30cket wrench insert, hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/4" 30cket wrench insert hexagon 4 5 6 7 8 9 10 10 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench insert TK E4 E5 E6 F2 B1 25 mm 1/4" 30cket wrench bit socket tross secess P2 D1 2 37 mm 1/4" 30cket wrench extension 50 100 mm, 1/4" 30 mm 1/4" 30cket wrench extension 50 100 mm, 1/4" 30 mm 1/4" bits TX T5 T6 T2 25 mm, 1/4" bits TX with hole T2 25 mm 1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45 25 mm 1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45 25 mm 1/4" bits show M5 M6 M7 M8 M6 M2 E5 mm 1/4" bits slotted 8 10 T2 30 mm, 5/16" bits 100 taked 8 10 T2 30 mm, 5/16" bits 100 taked 8 10 T2 30 mm, 5/16" bits 100 taked 8 10 T2 30 mm, 5/16" bits 100 taked 8 10 T2 30 mm, 5/16" bits 100 taked 8 10 T2 30 mm, 5/16" bits 100 taked 8 10 T2 30 mm 3/8" 30 Celever reversible ratchet, fine-toothed, 72 teeth 180 mm 3/8" 30cket wrench insert hexagon 10 11 T2 T3 14 T5 16 T7 R1 19 3/8" 30cket wrench insert hexagon 10 11 T2 T3 T4 T5 16 T7 R1 19 3/8" 30cket wrench insert hexagon 10 T1 T2 T3 T4 T5 16 T7 R1 19 3/8" 30cket wrench insert hexagon 10 T1 T2 T3 T4 T5 16 T7 R1 19 20 T2 22 47 30 32 mm 1/2" 30cket wrench insert hexagon 10 T1 T2 T3 T4 T5 16 T7 R1 19 20 T2 22 47 30 32 mm 1/2" 30cket wrench insert for kann (10 T1 R1 19 22 77 mm, 1/2" socket wrench insert TX E20 E24 1/2" 3park plug insert 18 mm 65 mm, Enlarging piece / sliding piece 3/8"x 1/2" 44 mm Bit adapter 1/2" square x 5/16" hex 38 mm 0ffset screwdriver set hexagon 1.52 Z.53 4 5 6 mm 1/4" universal joint 65 mm, Enlarging piece / sliding piece 3/8"x 1/2" 44 mm Bit adapter 1/	345	172

Weight kg

10.5

BIKE TOOL FOR ON THE GO

The "On the Road" bike set is a practical emergency set with bicycle tools for on the go. Small repairs are done in no time at all.

Three tire levers make the work of patching tyres and tubes much easier. Housed in a attachable bag for the saddle tube, the set is a practical companion on every tour.

The GEDORE red bike set R21702013 is the help you need when you break down on the way. So that you can continue quickly, the included bits can be used to tighten and tighten screw connections on the bike, the selection of bits and socket wrenches is a tailored solution. Working with the ratchet with bit adapter is much more pleasant and practical than with conventional Allen keys or multi-tools. Difficult-to-reach screw connections in particular are much easier to reach with the handy ratchet bit. Thanks to the ratchet mechanism, using the bit ratchet means that you can avoid repeated "application" on the screw connections - an immense plus in terms of convenience and speed.



Bike-Set "On road" R21702013

1

PRACTICAL RATCHET BIT WITH ACCESSORIES

• The fine-toothed bit ratchet can hold bits directly or with a bit holder. With an adapter piece, it is even possible to use socket wrench inserts



SAFELY STOWED

• High-quality, robust bag with a plastic zipper. No rattling on the frame or the seat post on the way



PERFECT KIT IN THE EVENT OF A FLAT TIRE

• The three tire levers included in the set can be fixed to the rim and allow access to the leak in the tube



"The set includes everything I need in terms of tools for flat tires or small repairs when I'm on my bike. The ratchet bit is particularly useful."



NEW

R2170 2013 ON THE ROAD BIKE SET 13 pieces





- > Ergonomic handling with bit ratchet and bit adapter
- > Selection of bits and sockets tailored to the screws and nuts on a bike
- > Clampable bag on the saddle and seat post
- > No disturbing noises when driving thanks to the plastic zipper



Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300194	R21702013	Tire lever set, 3 pieces Allen bit 3 4 5 6 Slotted bit PH1 TX Bit T25 Socket wrench insert 10 mm Ratchet 1/4" drive adapter Bit holder with quick release system 66.5 mm	90	145	54	13	0.24

THE MOBILE BICYCLE WORKSHOP

Whether mobile or in the workshop - with the bike set "workshop" you are well prepared for repairs on the bike.

without a bit adapter – depending on the space available. The set is completed by a selection of bits in the sizes most commonly used on bikes. All tools are housed in a practical, handy and high-quality bag.

The GEDORE red bike set workshop R21702025

includes, as a professional basis, telephone pliers for gripping, e.g. Bowden cables and side cutters for separating these cables. Both pliers are equipped with 2-component handles and have induction-hardened cutting edges. The extra slim cone adjustable wrench is specially designed for screw connections on pedals or the rear brakes on the bicycle. The maintenance and adjustment of systems on modern bicycles such as mountain bikes or racing bikes, but also e-bikes, requires professional tools, especially for the screw connections that are difficult to access. In addition to the bit screwdriver, the handy bit ratchet is also helpful for screw connections



1

HANDY

that are particularly difficult to access. This can be used with or

 Professional pliers with hardened cutting edges and ergonomic handles

2

FOR TIGHT WORKING ENVIRONMENTS

• Cone adjustable wrench as a solution for loosening screw connections in tight work space



PRACTICAL RATCHET BIT WITH ACCESSORIES

 The fine-toothed bit ratchet can hold bits directly or with a bit adapter



VALUABLE IN THE EVENT OF A FLAT TIRE

• The three tire levers included in the set can be fixed to the rim and allow access to the leak in the tube



"With this set I not only have the screw connections under control.
This makes me feel completely safe!"





R2170 2025 **WORKSHOP BIKE SET** 25 pieces

Ratchet 1/4" | 91 mm

Bag 230 x 190 x 50 mm

Drive adapter 1/4" hex x 1/4" square Bit screwdriver 1/4", 118 mm

Bit holder with quick release system 66.5 mm

- > Cone adjustable wrench for narrow screw connections
- > Handle or ratchet bit
- > Selection of 1/4" bits and sockets
- > In a quality bag



















Pieces

25



Weight kg

1.07

Code	No.	Contents	Width mm	Height mm	Depth mm
3300195	R21702025	Tyre lever set, 3 pieces Cone roller fork spanner 6" Flat round nose pliers 160 mm Side cutter 160 mm Internal hexagon bit 2 2.5 3 4 5 6 8 10 Cross-recess bit PH1 Slotted head bit 4 TX bit T15 T29 T25 T30 Socket spanner 10 mm	205	235	50

R3800 3043 TOOL SET "MEASURING-CUTTING-SCREWS" 43 pieces





- > For manually operated screws and bolts
- > Plastic case in GEDORE red Design









Code	No.	Contents	Width mm	Height mm	Depth mm	Pieces	Weight kg
3300190	R38003043	Screwdriver slotted 3 x 75 mm Screwdriver slotted with percussion cap 4x75 mm, 5.5x100 mm, 6.5x125 mm Phillips screwdriver with impact cap PH 1x75 mm, PH 2x100 mm 9-piece offset screwdriver set, hexagon socket, 1.5 2 2.5 3 4 5 6 8 10 long	383	80	272	43	6.2

R4600 7138 UNIVERSAL SET ALLROUND IN TOOL CASE

138 pieces





Offset screwdriver set 9 pcs TXT10 T15 T20 T25 T27 T30 T40 T45 T50

Tape measure, 5m, side cutters, Needle nose pliers straight, combination pliers
Level 300mm, Cutter knife incl. 3 blades, 10 replacement blades for cutter knives



- > For manually operated screws and bolts
- > Aluminium case in GEDORE red design

























		Micciouru
Code	No.	Contents
3300189	R46007138	2K lever reversible ratchet 1/4" fine-toothed, 72 teeth 150 mm 2K lever reversible ratchet 1/2" fine-toothed, 72 teeth 250 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 25 mm 1/2" socket wrench insert hexagon SW 10 13 14 16 17 18 19 20 22 24 38 mm 1/2" socket wrench insert hexagon SW 27 30 32 42 mm 1/4" socket wrench extensions 50 100 mm, 1/2" socket wrench extensions 125 250mm 1/4" square plug-in handle 165 mm, 1/2" spark plug socket SW 16 24 65 mm 1/4" T-handle with slider 115 mm, 1/4" universal joint 33 mm, 1/2" universal joint 66 mm Drive adapter 1/4" internal square x 1/4" hexagon 25mm Drive adapter 1/4" square x 1/4" hex 50mm Combination wrench SW 8 9 10 11 13 14 17 19 mm Adjustable wrench, adjustable 10" 250 mm Allen key set hexagon SW 2 2.5 3 4 5 6 8 10 mm Allen key set TX. long SW T10 T15 T20 T25 T30 T40 T45 T50 Slotted screwdriver 5.5 6.5 8, Screwdriver Phillips PH 1 2, VDE screwdriver PH 2 PZ 2 Phase tester slot 120-250 V, 1/4" ratchet screwdriver 1/4" bit box internal hexagon SW 2 3 4 5 5.6 mm, slot 4 5.5 6 mm, PH 1 2 3, PZ 1 2 3, TX T10 T15 T20 T25 T27 T30 T40, TXB T10 T15 T20 T25 T27 T30 T40 Combination pliers 180 mm, Side cutters 160 mm, Needle nose pliers 200 mm Water pump pliers 250 mm, Crimping tool and plastic box with accessories 40 pcs. File, half-round, cut 2 200mm, LED Flashlight 175mm, Chisel set in plastic holder, 5 pieces Cutter knife with 10 spare blades, Hacksaw 150 mm, plus 3 spare saw blades Machinist's hammer 300 g, Tape measure, 5 m Universal scissors, blade length 60 mm, kneeboard, spirit level 300mm

Width	Height	Depth	Pieces	Weight kg
mm	mm	mm		
455	157	355	138	13



R6900 3000 WHEEL CHANGE SET 3 pieces





- > For controlled tightening of screws
- > R68900200: Controlled and precision screw tightening from 40 to 200 Nm
- > With test certificate according to DIN EN ISO 6789
- > R60010027: Can be extended in five stages from 460 mm to up to 600 mm
- > R63043003: In 17, 19 and 21 with color coding
- In acc. with DIN 3120 C12,5, ISO 1174, with ball locking device
- > Acc. to DIN 3129, ISO 2725-2













Code *3300187*

No. R69003000

Contents

R68900200 Torque wrench 1/2" 40-200 Nm R60010027 2K telescopic ratchet 1/2" switchable R63043003 Impact wrench socket set 1/2" 3 pieces Pieces Weight kg

3.3

R4017 0027 2C-SWIVEL HEAD BIT RATCHET

reversible



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > With magnetic holder
- Lever for reversible clockwise/anticlockwise operation
- In-hex for direct mounting of bits as per DIN ISO 1173











Code *3300160*

No. R40170027

Drive connector hexagon female 1/4"

Drive connector hexagon female mm

Return angle 5° Total length mm

Weight kg 0.13

R4005 0009 2C-REVERSIBLE RATCHET 1/4" cranked





- Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove









Code *3300159*

No. R40050009

Drive connector square 1/4"

Drive connector square mm

Return angle

Total length mm

16

Weight kg

R5005 0009

2C-REVERSIBLE RATCHET 3/8"

cranked



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- For sockets, accessories etc. with square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove









Code 3300225 **No.** R50050009

Drive connector square

Drive connector square mm

Return angle 10° Total length mm

Weight kg 0.226

R6005 0009 2C-REVERSIBLE RATCHET 1/2"





- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove





Code	No.	Drive connector square	Drive connector square mm	Return angle	Total length mm	Weight kg
3300411	R60050009	1/2"	12,5	10°	253	0.514

R6011 0009 2C-SWIVEL-HEAD TELESCOPIC RATCHET 1/2"

reversible



- > Telescopic ratchet lockable in 5 positions
- > Ratchet head swivels through 180°
- > Ring for reversing clockwise/anticlockwise direction
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove







Code	No.	Square drive inch	Square drive mm	variable length	Return angle	Number of teeth	Weight kg
3300523	R60110009	1/2"	12,5	430-580	10°	36	1.292

R6012 0027 **2C-SWIVEL HEAD REVERSIBLE RATCHET**



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 12,5, ISO 1174, with ball retention groove











Code No. **Drive connector square** Drive connector square mm Return angle Total length mm Weight kg 3300409 R60120027 290

R6255 8010 **SCREWDRIVER BIT SOCKETS 1/2"** ON HOLDING RAIL

- > Screwdriver bit socket 1/2", hexagon socket, design according to DIN 7422
- > Hand-operated, knurled grip







Pieces

10



Weight kg

1.1

Code 3300023

10 pieces

No. R62558010

TORQUE WRENCH

RX890 XXXX

10-100 Nm

Contents

5 6 7 8 9 10 11 12 14 17 | 55 mm

Length mm

280

- > Controlled tightening from 10 to 100 Nm > Audible Torque triggering can clearly be heard and felt
- > Right-hand and left-hand tightening by changing the mushroom head / push-through square
- > Adjustable torque wrench with square drive and integrated ratchet function
- > Tripping accuracy: +/-3 % tolerance of the set scale value







Code	No.	Туре	Square drive inch	Square drive metric mm	Nm	Nonius	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg	excl. VAT
33018	71 R58900050	Push-through square with pin	3/8"	10	10-50	2,5	34	17,5	330	35,0	25,3	0.476	122,69
33012	16 R68900100	square socket with knob, serrated	1/2"	12,5	20-100	5	51,5	22	395	46,0	35,9	1.176	131,93

R3800 2006 SCREWDRIVER SET

6 pieces





- > Blades of high-grade chrome-molybdenum steel, chrome-plated
- > 2-component-handle for a hands-friendly transfer of force
- > 5-sided grip heads prevent rolling away





 Code
 No.
 Contents
 Pieces
 Weight kg

 3301270
 R38002006
 Slotted screwdriver 3 5.5 6.5 mm, Cross-slotted screwdriver PH 0 1 2
 6
 0.435

R3840 2006 SCREWDIVER SET TX

6 pieces

€23,77



- Blades of high-grade chrome-molybdenum steel, chrome-plated
- 2-component-handle for a hands-friendly transfer of force
- > 5-edge handle heads stop them rolling off when put down




 Code
 No.
 Contents
 Pieces
 Weight kg

 3301272
 R38402006
 TX screwdriver T10 T15 T20 T25 T30 T40
 6
 0.55

R3867 2006 2C-T-SCREWDRIVER SET

In-hex, 6 pieces





- > Two-way profile
- > 2-component-handles for an easy transfer of force



 Code
 No.
 Contents
 Pieces
 Weight kg

 3301281
 R38672006
 Hexagon socket key 2.5 3 4 5 6 8 mm
 6
 0.731

COLOURFUL CLASSIC

The 9-piece offset screwdriver sets add colour to everyday work and help you choose the right size.

The 9-piece **GEDORE red offset screwdriver sets** R36401009 and R36601009 are perfect for tightening or loosening TX and Allen screws. With the 9 most common sizes (T10 - T50 or 1.5-10mm), the most important fastening work in everyday life can be processed. The round shape flatters the hand and ensures more comfortable handling, even in continuous use. The extra long handle makes loosening and tightening easier thanks to the

rounded off by the colour coding, which helps to find the right size quickly in everyday life. Both sets come safely stowed away in a plastic holder with a practical belt clip. This can be opened for easier removal.



Offset screwdriver sets TX/IN TX/IN R36401009 and R36601009

PLEASANT HANDLING

• The round shape fits better in the hand and is more comfortable during longer screw fastening jobs

TIME SAVING

• The colour coding and size marking saves time when looking for the right offset screwdriver

COMFORTABLE WORKING

• The extra long design results in better leverage and makes loosening and tightening easier. The ball head provides flexibility when space around the fitting is tight



"Tidy classics with colour coding, which makes it easier to find the right size."



R36401009

ANGLE SCREWDRIVER SET TX WITH COLOUR CODING

9 parts, long



- > Colour coded plastic coating to find the right L-key faster
- > Round shape
- > Long version
- > Matt chrome
- > In a foldable holder with belt clip







Code 3301333

No. R36401009 Contents

T10 T15 T20 T25 T27 T30 T40 T45 T50

Pieces

Weight kg

NEW

R36601009

ANGLE SCREWDRIVER SET IN WITH COLOUR CODING

9 parts, long



- > Colour coded plastic coating to find the right L-key faster
- > Round shape
- > Long version
- > Matt chrome
- > In a foldable holder with belt clip







Code 3301332

No. R36601009

1.5 2 2.5 3 4 5 6 8 10 mm

Pieces

Weight kg

R3891 0000

RATCHET SCREWDRIVER 1/4"

Contents

with telescopic blade



- > Adjustable telescopic blade
- > Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Reversible clockwise/anticlockwise ratchet function
- > Ratchet lock in central position







Code 3301341

No. R38910000 Drive connector hexagon female

Drive connector hexagon female mm

variable blade length mm 0 - 100

variable length 183-287

Weight kg

THE SPACE MIRACLE AMONG THE TOOL TROLLEYS

The workshop trolley GEDWorker offers flexible access from both sides and plenty of space.

The **GEDORE red workshop trolley GEDWorker R20152205** is a flexible companion in everyday work.
Thanks to the drawer extension on both sides, the tool can be removed from both sides without having to turn it over. Thanks to the external fixed castors, stability is increased and the risk of tipping is reduced to a minimum. In addition, rollers and chassis offer a high level of driving comfort, even with a high load. The small parts compartments in the plastic lid offer another storage option. In this way, tools and materials can be stored in an orderly manner and are quick to hand. If you are still looking for the right tool, you will find a large selection of predefined tool sets for different applications in the 1/3 and 2/3 foam modules from the **GEDORE red** range.



Workshop trolley GEDWorker R20152205

1

LITTLE HELPERS

 Small parts compartments in the plastic lid enable pre-sorted storage for tools and materials. This provides a better overview during use



FLEXIBLE ACCESS

 The pull-out drawers on both sides ensure access from both sides at all times without having to turn the trolley



DURABLE

 The powder coating offers a high level of protection against corrosion and is particularly resistant to scratches



HIGH SECURITY

 The external fixed castors ensure that the workshop trolley cannot tip over and also offer better driving characteristics, especially when carrying a full load



"The GEDWorker particularly impresses with the flexible access from both sides. Together with the plenty of storage space and the comfortable driving characteristics, it is a practical helper for a stressful day at work."



NEW

R2015 2205

WORKSHOP TROLLEY GEDWORKER

with 5 drawers

€385,1



- > Sheet steel, corrosion-resistant and scratch-resistant powder-coated
- > Working platform with cover made of ABS plastic with 3 compartments for small parts
- > Manoeuvrable and easy to control thanks to the driving and steering handle
- > Central locking system
- > Ball bearing guide rails
- All drawers can be pulled out on both sides
 Load capacity per drawer 20 kg
- > Additional storage compartment for larger items below the last drawer
- > Even under maximum loads, the GEDORE trapezoidal axle construction ensures: smooth running, maneuverability and directional stability










Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301675	R20152205	RAL 9005	963	685	462	2xType 1, H=74mm 3xType 2, H=119mm	200	5	41

WELL POSITIONED FROM THE GROUND UP!

The filled workshop trolley scores with its extensive 119-piece basic equipment for everyone.

The equipped tool trolley R21562005 is ideally suited as a basic range for beginners in all professional groups. Around the core, consisting of the ratchets in 1/4" and 1/2" with accessories, is built up with screwdrivers, pliers, wrenches, etc., the scope of which leaves

> nothing to be desired. Thanks to the two-sided pull-out drawer, the tools can be removed from both sides of the workshop trolley without having to turn it over. The external fixed castors increase stability and reduce the risk of tipping to a minimum. In addition, rollers and chassis offer a high level of driving comfort, even with a high load. The small parts compartments in the plastic lid offer another storage option. In this way, tools and materials can be stored in an orderly manner



Tool trolley with 119-piece assortment R21562005

LITTLE HELPERS

• Small parts compartments in the plastic lid enable pre-sorted storage for tools and materials. This provides a better overview during use

HIGH SECURITY

• The external fixed castors ensure that the workshop trolley cannot tip over and also offer better driving characteristics, especially when carrying a full load



FLEXIBLE ACCESS

• The pull-out drawers on both sides ensure access from both sides at all times without having to turn the trolley



EXTENSIVE EQUIPMENT

• In addition to the complete 1/4" + 1/2" socket wrench sets, the comprehensive tool kit includes wrench sets, pliers, screwdrivers and much more



"The GEDWorker workshop trolley particularly impresses with its flexible access from both sides. With its 119-piece assembly, you are well prepared to get started!"



R2156 2005 TOOL SET IN WORKSHOP TROLLEY GEDWORKER 119 pieces

- > As basic equipment for the workshop, basic range for beginners of all professional groups or the experienced
- > Metric dimension tools
- > Clearly arranged in GEDORE red foam modules
- > With check tool system: Completeness check using 2-colored foam inserts

Detailed listing of the range contents on page 66





















Made in Austria























Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
3301	676 R21562	005 RAL 9005	963	685	462	2xType 1, H=74mm	200	5	119	55.46
						3xTvne 2. H=119mm				

THE ORGANIZED COMPANION

Manoeuvrable and safe workshop trolley with lots of storage space and load capacity.

The workshop trolley GEDMaster R20202207 from **GEDORE red** is a strong and safe helper at the workplace. With a total load capacity of 400 kg and 7 drawers, the tool trolley offers enough capacity for everyday tools. Thanks to the ball-bearing guide rails, the drawers offer a comfortable extension and each have a load capacity of 40 kg. In addition to the central locking, each drawer is equipped with an individual lock to prevent accidental opening while driving. The additional full extension allows access to the entire contents of the drawer at any time. The workshop trolley is rounded off by the proven GEDORE trapezoidal axle construction. This means that the workshop trolley remains easy to maneuver even under maximum load and maintains its good driving characteristics. The Euro perforation on the side walls offers additional attachment options for accessories and tools. The small parts compartments in the plastic lid enable neat storage on the work surface.



LITTLE HELPERS

 Small parts compartments in the plastic lid enable pre-sorted storage for tools and materials. This provides a better overview during use

• Ball-bearing guide rails and a solid con

 Ball-bearing guide rails and a solid construction enable a high load capacity of 40 kg per drawer and a comfortable extension

SAFE CARGO

 The drawers are secured against unintentional opening while driving due to the individual locking

AGILE AND SMOOTH-RUNNING

 The GEDORE trapezoidal axle construction ensures excellent driving characteristics even under maximum loads. This makes the trolley easy and manoeuvrable to manoeuvre



"The manoeuvrable trolley is a great help in the workplace thanks to its storage space and carrying capacity. Not only does a lot of tool equipment go in here, the trolley is also incredibly variable."



NEW

R2020 2207 **WORKSHOP TROLLEY GEDMASTER**

with 7 drawers



- > Sheet steel, corrosion-resistant and scratch-resistant powder-coated
- > Working platform with cover made of ABS plastic with 4 compartments for small parts
- > Manoeuvrable and easy to control thanks to the driving and steering handle
- > Side panels with Euro perforation 10 x 38 mm for attaching accessories
- > Central locking with cylinder lock
- > Safety lock for each drawer, one-handed operation
- > All drawers with full extension and ball bearing guide rails
- > Load capacity per drawer 40 kg
- > Even under maximum loads, the GEDORE trapezoidal axle construction ensures: smooth running, maneuverability and directional stability















Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301677	R20202207	RAL 9005	999	790	470	5xType 1, H=70mm 2xType 2, H=145mm	400	7	65

MANOEUVRABLE HELPER WITH GIGANTIC EQUIPMENT!

The equipped workshop trolley offers everything your heart desires with its generous 273-part equipment.

The filled **tool trolley R22071005** is suitable for versatile use in the workshop. The generous range of 1/2", 3/8" and 1/4" socket wrench sets including accessories, pliers wrenches, ratchet screwdrivers, wrenches and much more. make the screwdriver

heart beat faster. The drawers offer a comfortable pull-out thanks to the ball-bearing guide rails and each have a load capacity of 40 kg. In addition to the central locking, each drawer is equipped with an individual lock to prevent accidental opening while driving. The workshop trolley is rounded off by the proven GEDORE trapezoidal axle construction. This means that the workshop trolley remains easy to manoeuvre even under maximum load and maintains its good driving characteristics.



1

Tool trolley with 273-piece assortment R22071005

GENEROUS EQUIPMENT

• In addition to complete 1/2'' + 3/8'' + 1/4'' socket wrench sets, wrench sets, pliers wrenches, ratchet screwdrivers and much more, the generous range of tools includes

2

SAFE CARGO

 The drawers are secured against unintentional opening while driving due to the individual locking

3

HIGH LOAD CAPACITY

 Ball-bearing guide rails and a solid construction enable a high load capacity of 40 kg per drawer and a comfortable extension



AGILE AND EASY-GOING

 The GEDORE trapezoidal axle construction ensures excellent driving characteristics even under maximum loads.
 This makes the trolley easy to manoeuvre



"A great duo - the tool trolley offers extensive storage space and carrying capacity, while the generous range of tools offers everything you need."




R2207 1005

TOOL SET IN WORKSHOP TROLLEY GEDMASTER

273 pieces







- > Extensive range for industry, trade, automotive and the advanced do-it-yourselfer
- > Metric dimension tools
- Clearly arranged in GEDORE red foam modules
- With check tool system:
 Completeness check using
 2-colored foam inserts

Detailed listing of the range contents on page 67



Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Pieces	Weight kg
3301678	R22071005	RAL 9005	999	790	470	5xType 1, H=70mm	400	7	273	88.5
						2xTvne 2 H=145mm				

R2040 0006

TOOL TROLLEY MECHANIC PLUS

with 6 drawers



- Large storage space with adjustable shelf, separately lockable
- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > Storage compartment on the left with shelf. Interior dimensions H 720 x W 355 x D 380 mm
- **>** Door, left-hand door stop, lockable, H 670 x B 310 mm
- 6 drawers with telescopic fully extending runners, with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys









Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load- bearing capacity kg	Number of drawers	Shelves	Worktop thickness mm	Weight kg
3301818	R20400006	3020 / 7016	915	515	515	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	210	6	1	30	81

R9212 XXXX **ENGINEERS' HAMMER** with fibreglass

from



Code	No.	Head weight g	Length mm	Weight kg	excl. VAT
3300720	R92120012	300	297	0.48	11,50
3300722	R92120020	500	315	0.73	14,70
3300723	R92120032	800	350	1.1	17,30

R9000 0006 **IMPACT TOOL KIT** 6 pieces





- > Tempered striking ends
- > Made from chrome-vanadium steel



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3300826	R90000006	Flat cold chisel - 125 150 mm	170	110	30	6	0.76
		Cross-cut chisel - 125 mm, Drift punch - Ø 3 mm					
		Centre punch - Ø 4 mm, Pin punch - Ø 4 mm					

R9020 0006 PIN PUNCH SET 6 pieces





- > Acc. to DIN 6450
- > Tempered striking ends
- > Made from chrome-vanadium steel

	AAAAAA
C 2 2 7 7	CHECKER OF THE CHECKE
€ 23 , •vat	MIDERIAN MIDERIAN MIDERIAN MIDERIAN MIDERIAN



Code	No.	Contents	Length mm	Width mm	Height mm	Pieces	Weight kg
3300823	R90200006	Splinter driver Ø 3 4 5 6 7 8 mm	170	115	30	6	0.8

R2815 4010 WATER PUMP PLIERS

automatic one-hand adjustment



- > Acc. to DIN 8976
- > Automatic setting mechanism for one-handed operation
- > Push-through joint, high stability
- > Lengthways-serrated grip surfaces
- > Chrome-vanadium steel





Weight kg

Code 3301172

No. R28154010

Clamping reach mm 35

Length inch 10

Length mm 250

0.374

R2800 2003 **PLIERS SET** 3 pieces



- > Induction-hardened cutting edges
- > 2-component-handles for a easy transfer of force
- > Chrome-vanadium steel

€4083







Code 3301155

No. R28002003 Contents

Combination pliers 180 mm, Side cutter 160 mm, Telephone pliers, straight 200 mm

Pieces 3

Weight kg 0.711

R2800 2004 PLIERS SET 4 pieces





- > Circlip pliers for external retaining rings, straight and angled, Size 2
- > Internal circlip pliers straight and angled
- > Dip-coated handle covers
- > Chrome-vanadium steel





Code 3301156

No. R28002004 Contents

External fuse tongs straight A2, External fuse tongs angled A21 Internal fuse clamp straight J2, Internal fuse tongs angled J21

Pieces

Weight kg 0.68

THE KEY TO SUCCESS

Don't have the right wrench at hand or do you prefer pliers? The pliers wrench from GEDORE red combines various wrenches and pliers in one tool - an all-rounder for professionals and hobby users.

The **GEDORE red pliers wrench R28184010** is a hybrid of wrench and pliers which makes it versatile in use. Whether screwing, bending, holding, pressing and gripping, everything is possible. Thanks to its intelligent design, it replaces two complete sets of wrenches (metric and imperial, 0-50 mm or 0-1.7/8"), as well as various pliers with a span of 0-50 mm. It can be conveniently and practically moved thanks to the sliding mechanism infinitely variable to different wrench sizes and is

also suitable as an alternative to the ratchet wrench. The smooth and parallel jaws serve to protect the surface, e.g. with chrome-plated or plastic workpieces. Its optimized pressing and clamping force with a tenfold conversion enables maximized power transmission while sparing your own effort.



1

HIGH QUALITY

 Smooth and parallel jaws protect surfacesensitive screw connections or fittings

2

HIGH POWER TRANSFER

• The high pressing and clamping force with tenfold conversion guarantees a firm hold of the workpieces

3

PRODUCTIVE AND EFFICIENT WORK

• The adjustment to the workpiece is simple and at the push of a button on the quick setting




DIVERSE APPLICATIONS

 The pliers wrench is suitable for screwing, bending, holding, pressing and gripping thanks to its mechanics and gripping jaws



"The pliers wrench is an allrounder for every application and should not be missing in any tool box. The versatile use and the increased power transmission make it the perfect everyday companion."



R2818 4010 PLIER WRENCH

- > Pliers and wrench in one tool
- > Maximum capacity: 50mm or 1.7/8"
- > 17 setting positions
- Chrome-plated surface with rough dipped handles
 According to DIN ISO 5743





Code No. Clamping reach mm Length mm Weight kg 3300016 R28184010 260

FLEXIBLE IN USE

Whether stripping or cutting conductors, the automatic stripping pliers StrippMax – Auto deliver an optimal cutting result and are easy to hold.

The **GEDORE red wire stripper R28201165** can be used to strip all common flexible and solid conductors from 0.2-6.0 mm². Due to its low weight and the smooth-running mechanism, it ensures fatigue-free and comfortable work. The automatic scanning system adjusts itself to the cable diameter, eliminating damage to the inner conductors. In addition, the stripping pliers have an adjustable length stop of 5-12 mm with an optical length gauge on the side and easily accessible side cutters up to 2 mm Ø. The diagonal cutters allow the conductor to be cut directly without having to change tools. In order to obtain a clean cutting result in the long term, the blades can be replaced.



Wire stripper R28201165

1

PRACTICAL HELP

 With the integrated diagonal cutters, conductors up to 2 mm Ø can be cut directly without changing the tool



PRECISE CUTTING POWER

• By changing the blade you get a clean cutting result in the long term



INTUITIVE OPERATION

 The setting of the length stop is displayed directly on the optical scale and can be adjusted quickly (5-12mm)



PLEASANT HANDLING

 The ergonomic handle geometry and the low weight make it comfortable in the hand and ensure fatigue-free work



"Stripping and cutting conductors is easy with the StrippMax-Auto"





- > For all common flexible and solid conductors from 0.2 - 6.0 mm²
- > Integrated, easily accessible side cutter up to 2 mm Ø
- > Light weight
- > Pleasant handling
- Made from glass fibre reinforced polyamide and high quality knife steel from Solingen



Code 3300197 No. R28201165

Length mm

Cable cross-section mm²

Weight kg

R2910 0010 VDE WATER PUMP PLIERS

- > For tightening and loosening screw connections e.g. control cabinets
- > Acc. to DIN ISO 8976 Form C
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > Lengthways-serrated grip surfaces
- > With boxed joint



 Code
 No.
 Clamping reach mm
 Length mm
 Weight kg

 3301413
 R29100010
 39
 250
 0.393

R3900 2005 VDE TOOL ASSORTMENT

5 pieces



VDE screwdriver:

- > For slotted head screws: Acc. to DIN 5264, DIN ISO 2380
- > For cross-head screws PH: Acc. to DIN 7438, DIN ISO 8764

VDE Side cutter:

> Acc. to DIN ISO 5749

VDE Telephone pliers, straight:

> Acc. to DIN ISO 5745













Code *3301414*

R39002005

Contents

VDE Screwdriver slotted 3, 5.5 mm VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm

 ${\tt VDE\,Telephone\,pliers\,200\,mm,\,straight\,pattern}$

Pieces

Weight kg

5

0.833



R9530 0017 TORCH



- > 2 levels of brightness plus warning/ signal function
- > 1 W LED
- > Brightness 55-60lm
- > Light range 25-30 m



 Code
 No.
 Length mm
 Weight kg

 3301755
 R95300017
 130
 0.156



- > Housing made from ABS plastic
- > Check LED battery display in 5 steps
- > Power source 3.7 v Li-ion battery, 1200 mAh
- > Incl. MICRO USB for charging

 Code
 No.
 Length mm
 Height mm
 Width mm
 Weight kg

 3300002
 R95700023
 155
 20
 40
 0.132

LITTLE MIRACLE OF LIGHT

The light and handy penlight R95300139 is always at hand and brings light into dark corners.

The **GEDORE red pen lamp R39500139** is ideal for a wide variety of areas such as workshops, cars, basements, garages or similar. Thanks to its compact size and low weight, it is ideal as a mobile companion. The aluminum housing is well insulated and, with its IP 54 protection class, protects the inner part from the ingress of small dust particles and splash water, so the pen lamp can also be used outdoors without any problems. The lamp lasts up to 4 hours with rechargeable batteries. It can be easily secured to the wrist with the supplied hand strap, while the structured surface provides a very good grip and is therefore secure in the hand even with oily and sweaty hands. With the clip at the end, it can be easily attached to a belt, shirt or trouser pocket and is therefore always ready to hand.



Pen lamp R39500139



SUITABLE FOR OUTDOOR USE

 With IP 54 class protection, the pen lamp is protected against small dust particles and splash water and is therefore also suitable for outdoor use



MOBILE COMPANION

 Thanks to its compact size and minimal weight, the penlight is ideal for mobile use. With the clip, it can be easily attached to a belt, shirt or trouser pocket and is therefore always easy to hand



SECURE HOLD

• The structured aluminum housing and the hand strap ensure a secure grip and hold



"Whether in a dark basement or in a crooked corner - the 130 lumens of the small pen lamp bring a lot of light into the dark."



NEW

R9530 0139 **PEN LAMP**

- > Compact, slim size
- > Protected against the ingress of small dust particles and splashing water
- > Good grip even with oily and sweaty hands
- > Can also be used with gloves
- > Mobile companion for all applications
- > Practical clip for attaching to a belt, shirt pocket or trouser pocket











Code	No.	Luminous flux	Luminous duration h	Length mm	Height mm	Width mm	Weight kg
3301758	R95300139	130	up to 4	139	15	15	0.056

THE CONSTRUCTION SITE LIGHT

The handy LED spotlight provides light on the construction site even without a power supply and leaves no corner dark.

The **GEDORE red** rechargeable battery **spotlight R95400145** is an extremely compact work spotlight with a rubberized border and IP 64 protection class (shockproof and splash-proof) with a fold-out bracket for setting up or fastening. With its 1400 lm, it brings plenty of light to the construction site. A joint that can be rotated by 180° simplifies the alignment of the spotlight and can thus be optimally adapted to the needs. With its Li-lon battery, the compact LED spotlight has a burn time of 6 hours and can also be used as a power bank. It is charged via the supplied micro-USB cable.

ght stlight class bracket brings that t of the other of t

Spotlight R95400145

1

TOUGH

 Thanks to the rubberized border and water protection, it is optimally protected against dirt

2

MOBILE APPLICATION

• The integrated Li-lon battery enables a light duration of 6 hours without a power supply




HANDY

• Compact portable spotlight that is easy to store away



FLEXIBLE ORIENTATION

 A 180° rotatable joint allows the spotlight to be easily aligned



"The compact and robust design of the LED spotlight makes it the perfect light source on dark and dirty construction sites. Thanks to the built-in rechargeable battery and the power bank function, you are very mobile and can quickly charge your cell phone if necessary."



R9540 0145 **SPOTLIGHT**



- > Compact, portable spotlight
- > Ideal for working in places without
- power supply

 > Shockproof and splash-proof rubberized border
- > 180° rotatable stand
- > The base is also suitable for hanging or as a carrying handle
- > Easy direction of the light
- > Power bank function for charging external devices

















Code	No.	Luminous flux	Luminous duration h	Height	Width	Depth	Weight kg
				mm	mm	mm	
3301761	R95400145	1.400	up to 6	145	145	40	0.643

ALWAYS PROPERLY LIT

The inspection lamp has various folding and positioning options which make it a real all-rounder.

The **GEDORE red inspection lamp R95600320** is ideal for work that requires both hands. Thanks to the built-in magnet at the end of the handle and the 180° rotatable hook, it can be attached in different positions, which enables hands-free working. With the 5 brightness levels, the main light with its max. 500lm can be adapted to different lighting conditions. The integrated Li-lon battery ensures a light duration of up to 12 hours and can be easily recharged via the micro USB. With an additional light in front of the head, the inspection lamp can be quickly turned into a practical flashlight by folding it in. So you are also well equipped on the go.

€**36**, ∗var

Inspection lamp R95600320

1

ALWAYS CORRECTLY POSITIONED

 A magnet at the end of the handle and a hook that can be rotated 180° allow for different positioning options



OPTIMUM ILLUMINATION

 With the 5 brightness levels of the main light, the illumination can be optimally adjusted to the lighting conditions



UNIVERSAL USE


 Whether as an inspection lamp or flashlight - thanks to the 2nd lamp in front of the head, the variable alignment of the lamp and the folding function, you always have the right lamp to hand CUSTOMIZABLE ILLUMINATION

> "Thanks to the many options for positioning and fixing the lamp, you have your hands free even in the darkest places."



R9560 0320 INSPECTION LAMP





- > 5 switching functions for adjustable brightness
- > Can be used both as an inspection lamp and as a flashlight
- > Magnet and 180° rotatable hook provide different holding options
- > Enables flexible and mobile use, as well as hands-free work























Code	No.	Luminous flux	Luminous duration h	Length	Height	Width	Weight kg
				mm	mm	mm	
3301760	R95600320	500	up to 12	320	43	33	0.26

Whether attached or in the hand, the compact work lamp offers a wide range of possible uses and delivers an impressive luminosity of 300 lm.

Wherever you are, you will always find the right angle with the mounting options for the mini work lamp R95700089 from GEDORE red. Attachment via magnet or clip leaves your hands free for other work. The compact work lamp has 3 setting levels: 100 lm, 300 lm and even 500 lm for a short time. The integrated Li-Ion battery provides a light duration of up to 3 hours and can be easily recharged via the micro USB. Thanks to its compact design, it takes up little space and also fits in your trouser pocket.



Mini work lamp R95700089

FLEXIBLE AND ADJUSTABLE

• Thanks to the clip and magnet for metal surfaces such as cars, trucks and machines, you have enough mounting options with this robust inspection light

POWERFUL AND COMPACT

• In everyday work, 300 lm luminosity and the very compact shape are convincing

MOBILE COMPANION

• Due to its compact design, it requires little space and is also ideal for use in confined spaces



"The mini work lamp is the ideal companion. The high luminosity and its compact and robust design clearly show their strengths here."



NEW

R9570 0089 MINI WORK LAMP





- Extremely bright lamp in a small compact format
 Can be used in particular in confined spaces
 Magnet provides different holding options in different work areas
- > Allows hands-free work
- Mobile companion for all applications
 Practical clip for attaching to a belt, shirt pocket or trouser pocket

 > Fits in any pocket











Code	No.	Luminous flux	Luminous duration h	Height mm	Width mm	Depth mm	Weight kg
3301759	R95700089	300	up to 3	12	21	89	0.035

R9380 0125 VICE RIGID fixed

- > Vice opening to the front
- > With anvil
- > Max. clamping force 25 KN



Weight kg

Code *3301737*

No. R93800125

Jaw width mm 125 Usable clamping reach mm

125

....

- Vice opening to the front
 Chuck for pipes with 13.5 56 mm diameter
- > With anvil
- > Max. clamping force 25 KN





 Code
 No.
 Jaw width mm
 Usable damping reach mm
 Weight kg mm

 3301738
 R93800150
 150
 125
 14

R9410 XXXX SPIRIT LEVEL

- > Smooth square alloy profile
- > One vertical and one horizontal vial
- > Measurement accuracy: +/- 0.5 mm/m



Code	No.	Length mm	Weight kg	excl. VAT
3301436	R94100075	600	0.26	18,56
3301423	R94100087	1.000	0.48	21,25

R9410 XXXX SPIRIT LEVEL

with a movable vial, magnetic

- > Smooth square alloy profile
- > One vertical and one horizontal vial
- > Magnetic
- > Measurement accuracy: +/- 0.5 mm/m





Code	No.	Length mm	Weight kg	excl. VAT
3301424	R94100151	300	0.17	13,27
3301425	R94100187	1.000	0.482	23.35



Code	No.	Length m	Tape width mm	Weight kg	excl. VAT
3301427	R94550003	3	19	0.201	6,29
3301428	R94550005	5	19	0.265	9,49
3301429	R94550008	8	25	0.468	10,83

R9320 0025 **UTILITY KNIFE**



- > With practical belt clip
- > Blade 25 mm wide
- > For right-handers
- > Supplied with 5 spare blades (125mm long, 0.5mm thick)





Code 3301605

TOOL

No. R93200025

MULTIFUNCTION

R9980 0000

Description Cutter knife, blade width 25 mm, clip Total length mm

Total width mm

Weight kg

> Stainless steel

- > Blade locking feature
- > Ergonomic handle, gentle power transmission



Code 3301757 No. R99800000

Weight kg

R9335 0051 **MULTIFUNCTION SAW**

- > Saw blade and bracket can be rotated 90°
- > Bracket 180° rotatable
- > Supplied with HSS bi-metal saw blade (24 tpi)



Code 3301608 No. R93350051 Length mm

Weight kg

R9300 0005 FILE KIT 5 pieces



- > 2-component-handle, for easy comfortable use
- > Made of special steel
- > In plastic bag

€**28**⁴⁸, •vxī

Code *3301597*

No. R93000005 **Contents** Triangular file Flat file

Flat file Round file Half-round file Square file Pieces \

Weight kg 0.82

R9340 0060 SCRAPER



- > For minor improvements/ repair
- > Apply, spread and smooth down
- > With wooden handle

Code *3301754*

No. R93400060 Blade width mm

60,0

Weight kg

R9921 0000 CARTRIDGE CAULKING GUN



- > For applying silicone
- > With stable aluminium tube
- > Quick and easy cartridge change
- > Supplied with 3 tips

 Code
 No.
 Length mm
 Height mm
 Weight kg

 3301753
 R99210000
 340
 210
 0.84

The individual components at a glance

R2156 2005

R22150006



R22150013



R2215 0015



R22150019



R22150009



R22150018



R22150008



R22250000















Assortment R21562002

NO.
R22150006

1/4" 2C lever reversible ratchet, fine-tooth, 72 teeth | 150 mm, 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13, 1/4" screwdriver bit socket in-hex 3 4 5 6 8 10 | 37 mm 1/4" screwdriver bit socket slotted 5.5 6.5 | 37 mm, 1/4" screwdriver bit socket cross-slotted PH 1 2 3 | 37 mm 1/4" screwdriver bit socket cross-head PZ 12 | 37 mm, 1/4" socket TX with hole T10 T15 T20 T25 T27 T30 T40 | 37 mm 1/4" socket extension 100 mm, 1/4" sliding T-handle with slide | 115 mm, 1/4" universal joint | 32 mm Screwdriver slot 4 5.5 6.5 8 mm, Screwdriver cross slot PH 1 2 Screwdriver TX T10 T15 T20 T25 T30 T40

R22150013 R22150015

R22150019 Engineers' hammer 300 g, Flat cold chisel 125 mm 150 mm, Cross-cut chisel 125 mm Centre punch 4 mm | 120 mm, Pin punch 4 mm | 120 mm, Drift punch 3 mm | 150 mm

1/2" socket hexagon 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 R22150009

1/2" screwdriver bit socket in-hex 6 7 8 9 10 12 14 | 55 mm

Water pump pliers 10" | 250 mm, Combination pliers 180 mm, Bent nose telephone pliers, straight 160 mm, Side cutter 160 mm R22150018 R22150008 1/2" 2C lever reversible ratchet, fine-tooth, 72 teeth | 250 mm, 1/2" socket extension 125 250 mm,

 $1/2^{\prime\prime}$ sliding T bar with slide 250 mm, $1/2^{\prime\prime}$ universal joint | 66 mm

R22550000 Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 mm, Hexagon socket key set 1.5 2 2.5 3 4 5 6 8 10 mm

Tools for set completion





Measuring tape

Cutter Knives with 5 spare blades 175 mm


The individual components at a glance

R2207 1005


R22350007



R22350008



R22350009



R22350010



R22350011





MSSOI	une	:III
R220	710	05

No. Content R22350007 1/4" 2C

1/4" 2C reversible ratchet L.150mm, 1/4" socket extension L.50mm, 1/4" socket extension L.100mm

1/4" socket extension L.150mm, 1/4" cross handle w. slide L.115mm, 1/4" cardan joint L.33mm, 1/4" square socket L.62mm 2C handle, 1/4" Bit-Adapter 4 edge x 1/4 6 edge L.24.7mm, 1/4" Bit-Box SL+PH+PZ+TX+6 edge 32 pcs., 1/4" Ratchet-Screwdriver with telescopic blade, 3/8" 2C reversible ratchet L.180mm, 3/8" socket insert hexagonal 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22, 3/8" socket extension L.125mm,

3/8" socket extension L.150mm, 3/8" cross handle with slide, enlarger 3/8" x 1/2" square L.44mm, reducer 3/8" to 1/4",

1/2" 2C reversible ratchet L.250mm, 1/2" universal joint L.66mm, 1/2" socket extension L.75mm, 1/2" socket extension L.125m,

1/2" socket spanner extension L.250m, 1/2" cross handle with sliding piece, angled screwdr. Set hexagon 1.5-10mm 9 pcs.

R22350008 1/4" Socket insert hexagonal 4 4,5 5,5 6 7 8 9 10 11 12 13 14 L.25mm, 1/4" Socket insert hexagonal 4 4,5 5,5 6 7 8 9 10 11 12 13 L.50mm,

1/4" Socket TX E5 E6 E7 E8 E10 L.25mm, 1/4" Screwdr. Insert 3 4 5 6 L.37mm, 1/4" Screwdr. Insert PH1 PH2 I. 37mm,

1/4" screwdriver Insert PZ1 PZ2 I. 37mm, 1/4" screwdriver Insert SC 5,5 6,5 I. 37m, 1/4" screwdriver Insert TX B0 T10 T15 T20 T25 T27 T30, 1/4" screwdr. Insert TX T10 T15 T20 T25 T27 T30 T40, 1/2" Socket Insert hexagon 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 32, 1/2" Socket insert hexagonal 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32, 1/2" Socket TX E8 E10 E11 E12 E14 E16 E18 E20 E22 E24,

1/2" spark plug socket 16 211

R22350009 1/2" screwdr. Insert 4 5 6 7 8 9 10 11 12 14 17 19 L.55mm, 1/2" Screwdr. Insert 5 6 7 8 10 12 14 17 L.100mm,

1/2" screwdr. Insert TX T20 T25 T27 T30 T40 T45 T50 T55 T60 L.55mm, 1/2" screwdr. Insert TX T20 T25 T27 T30 T40 T45 T50 T55 T60 L.100mm,

1/2" screwdr. Insert XZN M5 M6 M8 M10 M12 M14 M16

R22350010 Combination pliers L.180mm 2C-handle, Side cutters L.160mm 2C-handle, Flat nose pliers straight L.200mm 2C-handle, 2C-Screwdriver slot 3 4 5,5 6,5,

2C-Screwdriver PH1 PH2, 2C-Screwdriver TX T10 T15 T20 T25 T30 T40, Waterpump pliers 10", Locksmith's hammer 300g L.300mm, punch 8 square 120x4mm shank d.12, centre punch 8 square 120x4mm shank d.10mm, pin punch 8 square 150x4mm shank d.10,

Flat chisel flat oval 125x15x9mm, Flat chisel flat oval 150x18x11mm, Cross chisel flat oval, Pliers spanner 10"

R22350011 Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 , Combination ratchet spanner 10 13 17 19



TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149 42899 Remscheid · GERMANY Tel. + 49 (0) 21 91 - 596 - 0 Fax + 49 (0) 21 91 - 596 - 230 info@gedore.com www.gedore.com

Vertrieb Deutschland Tel. + 49 (0) 21 91- 596 - 900 Fax + 49 (0) 21 91- 596 - 999

GEDORE Automotive GmbH

Breslauer Straße 41 78166 Donaueschingen · GERMANY Tel. +49 771 83223-0 Fax +49 771 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12 71665 Vaihingen/Enz · GERMANY T +49 7042 9441-0 F +49 7042 9441-41 torque-solutions@gedore.com

GEDORE AUSTRIA GmbH

Gedore-Str. 1 8190 Birkfeld / Stmk. · AUSTRIA Tel. +43 (0) 3174 / 363 64 00 Fax +43 (0) 3174 / 363 83 20 sales.austria@gedore.com www.gedore.at

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road, New Germany, 3610 - South Africa PO Box 68, New Germany, 3620 SOUTH AFRICA Tel. +27 (0) 31 / 705 3587 Fax +27 (0) 31 / 705 32770 esales@gedore.co.za www.gedore.co.za

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz 01015 Vitoria Alava · SPAIN Tel. +34-945-29 22 62 Fax +34-945-29 21 99 gedore@gedore.es www.gedore.es

GEDORE Torque Ltd

(Formerly Gedore UK)
Tannery Lane, Gosden Common
Bramley, Guildford
Surrey
GU5 0AJ - UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II 10, avenue du Fief - Bât. 12 BP 79144 Saint-Ouen-l'Aumône F-95074 Cergy Portoise Cedex · FRANCE Tél. +33 (0)1 34 40 16 60 Fax +33 (0)1 34 40 16 61 jadore@gedore.fr www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV Alphen aan den Rijn · NETHERLANDS Tel. +31 (0) 172 / 42 73 50 Fa+31 (0) 172 / 42 73 60 info@gedore.nl www.gedore.nl

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar Gurgaon — 122051 Haryana · INDIA Tel. +91 (0) 124 22910 — 65/66/67 Fax +91 124 2341067 sales⊚gedoreindia.com www.gedore.in

GEDORE POLSKA Sp. z o.o.

ul. Žwirki i Wigury 56a 43-190 Mikołów · POLAND Tel. +48 (0) 32 / 738-40 10 Fax +48 (0) 32 / 738-40 20 gedore@gedore.pl www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro Vicentina São Leopoldo - RS | 93025-340 · BRAZIL Tel. +55 51- 3589 9200 Fax +55 51-3589 9222 export@gedore.com.br www.gedore.com.br

GEDORE TOOLS INC

4055 Faber PI Dr North Charleston SC, 29405 · USA Phone: +1 (843) 225 5015 Fax: +1 (843) 300 315 info@gedoretools.com www.gedoretools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F., Block 2, 1358 Pingan Road, Minhang, Shanghai · CHINA 201109 Tel. +86-21-3388 7258 Fax +86-21-3388 7259 Service Hotline: 400 880 1858 info@gedore.cn www.gedore.cn

Your dealer / stamp:

Brands of the GEDORE Group gedore.com · ochsenkopf.com

IMPULSE TOOL PROMOTION valid from 01/03/2023 until 31/12/2023.
While stocks last.

Special net prices per pc./set, plus VAT Delivery without decoration.
Technical specifications subject to modifications.No liability for printing errors.
Prices exclude VAT / for resellers only. Please ask your local dealer.